

Report Parameters-

PF Type- OGL
ICS Organization- 4600
County- 58
Client AKA- OGO-10897
Prog Alternate Id- All

Permits

Ics Organization: 4600 EP NW Rgnl Off Meadville

County: 58 Susquehanna

Drill Comm Date: 09/27/2006 PF Other Id: 115-20007

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

PF Name: TEEL 1

Prog Alt Id:

Permit Status: ACT

Well Record Date:

Well Type: GS

Drill Comm Date: 09/28/2007 PF Other Id: 115-20008

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: GREENWOOD 1

Prog Alt Id:

Permit Status: ACT

Well Record Date:

Well Type: GS

Drill Comm Date: PF Other Id: 115-20010

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: TEEL 2

Prog Alt Id:

Permit Status: ACT

Well Record Date:

Well Type: GS

Drill Comm Date: PF Other Id: 115-20011

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

PF Name: TEEL 6

Prog Alt Id:

Permit Status: ACT

Well Record Date:

Well Type: GS

Drill Comm Date: PF Other Id: 115-20012

Municipality: Springville Township

PF Status: PBNM Plug Cert Date:

PF Name: TEEL 8

Prog Alt Id:

Permit Status: CANCL

Well Record Date:

Well Type: GS

Drill Comm Date: PF Other Id: 115-20013

Municipality: Springville Township

PF Status: PBNM Plug Cert Date:

PF Name: TEEL 9

Prog Alt Id:

Permit Status: CANCL

Well Record Date:

Well Type: GS

Drill Comm Date: PF Other Id: 115-20014

Municipality: Springville Township

PF Status: PBNM Plug Cert Date:

PF Name: BROOKS 1

Prog Alt Id:

Permit Status: CANCL

Well Record Date:

Well Type: GS

Ics Organization: 4600 EP Nw Rqnl Off Meadville

County: 58 Susquehanna

Drill Comm Date: PF Other Id: 115-20015

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: ELY 2

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20016

Municipality: Dimock Township

PF Status: PBNM

Plug Cert Date:

PF Name: ELY 4

Prog Alt Id:

Well Record Date:

Permit Status: EXP

Well Type: GS

Drill Comm Date: PF Other Id: 115-20017

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: HUBBARD 2

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20018

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: KAHLE 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20019

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: GESFORD 3

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20020

Municipality: Dimock Township

PF Status: PBNM

Plug Cert Date:

PF Name: HEITSMAN 1

Prog Alt Id:

Well Record Date:

Permit Status: CANCL

Well Type: GS

Drill Comm Date: PF Other Id: 115-20021

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: HEITSMAN 2

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20023

Municipality: Springville Township

PF Status: ACTIV

Plug Cert Date:

PF Name: TEEL 7

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20024

Municipality: Springville Township

PF Status: ACTIV

Plug Cert Date:

PF Name: TEEL 5

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Ics Organization: 4600 EP NW Rqnl Off Meadville

County: 58 Susquehanna

Drill Comm Date: PF Other Id: 115-20025

Municipality: Dimock Township

PF Status: PBNM Plug Cert Date:

PF Name: RATZEL 1

Prog Alt Id:

Well Record Date:

Permit Status: CANCL

Well Type: GS

Drill Comm Date: 08/13/2008 PF Other Id: 115-20026

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: BAKER 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20028

Municipality: Springville Township

PF Status: PBNM Plug Cert Date:

PF Name: BLACK 1

Prog Alt Id:

Well Record Date:

Permit Status: CANCL

Well Type: GS

Drill Comm Date: PF Other Id: 115-20029

Municipality: Dimock Township

PF Status: PBNM Plug Cert Date:

PF Name: ELY 1

Prog Alt Id:

Well Record Date:

Permit Status: CANCL

Well Type: GS

Drill Comm Date: PF Other Id: 115-20030

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: LEWIS 2

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20033

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: GESFORD 2

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20034

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: ELY 4H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20035

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: LEWIS 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20036

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: COSTELLO 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Ics Organization: 4600 EP Nw Rqnl Off Meadville

County: 58 Susquehanna

Drill Comm Date: PF Other Id: 115-20039

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: HUBBARD 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20040

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: GESFORD 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20041

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: ELY 6H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20043

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: COSTELLO 2

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20045

Municipality: Springville Township

PF Status: ACTIV

Plug Cert Date:

PF Name: TEEL 8H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20046

Municipality: Springville Township

PF Status: ACTIV

Plug Cert Date:

PF Name: TEEL 9H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20047

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: RATZEL 1H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20048

Municipality: Springville Township

PF Status: ACTIV

Plug Cert Date:

PF Name: BLACK 1H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20049

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: ELY 1H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Ics Organization: 4600 EP Nw Rqnl Off Meadville

County: 58 Susquehanna

Drill Comm Date: PF Other Id: 115-20050

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: HEITSMAN 1H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20051

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

PF Name: BROOKS 1H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20054

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: ELY 5H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20055

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

PF Name: TEEL 10H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20056

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

PF Name: BLACK 2H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20057

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: ROZANSKI 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20075

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

PF Name: R SMITH 4

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20076

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

PF Name: R SMITH 3H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20077

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

PF Name: R SMITH 2H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Ics Organization: 4600 EP Nw Rqnl Off Meadville

County: 58 Susquehanna

Drill Comm Date: PF Other Id: 115-20078

Municipality: Springville Township

PF Status: ACTIV

Plug Cert Date:

PF Name: R SMITH 1H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20079

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: SIPE 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20080

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: B SEVERCOOL 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20081

Municipality: Springville Township

PF Status: ACTIV

Plug Cert Date:

PF Name: A LATHROP 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20082

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: C LARUE 2

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20083

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: K LANDES 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20084

Municipality: Springville Township

PF Status: ACTIV

Plug Cert Date:

PF Name: A HEITSMAN A1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20085

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: GREENWOOD 2H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20086

Municipality: Springville Township

PF Status: ACTIV

Plug Cert Date:

PF Name: FAIGLE K 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Ics Organization: 4600 EP NW Rqnl Off Meadville

County: 58 Susquehanna

Drill Comm Date: PF Other Id: 115-20087

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

PF Name: W CHUDLEIGH 2

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20088

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

PF Name: W CHUDLEIGH 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20089

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

PF Name: BROOKS W 2

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20090

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

PF Name: BROOKS W 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20091

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: GESFORD 4R

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20092

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: G SHIELDS 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20094

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: H HENGLE 1H

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20095

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: J GRIMSLEY 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20096

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: ELY 7V

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Ics Organization: 4600 EP NW Rqnl Off Meadville

County: 58 Susquehanna

Drill Comm Date: PF Other Id: 115-20097

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

Drill Comm Date: PF Other Id: 115-20116

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

Drill Comm Date: PF Other Id: 115-20117

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

Drill Comm Date: PF Other Id: 115-20118

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

Drill Comm Date: PF Other Id: 115-20119

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

Drill Comm Date: PF Other Id: 115-20120

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

Drill Comm Date: PF Other Id: 115-20121

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

Drill Comm Date: PF Other Id: 115-20122

Municipality: Springville Township

PF Status: ACTIV Plug Cert Date:

Drill Comm Date: PF Other Id: 115-20123

Municipality: Dimock Township

PF Status: ACTIV Plug Cert Date:

PF Name: ELK LAKE SCHOOL DISTRICT 1H

Prog Alt Id: Permit Status: ACT

Well Record Date: Well Type: GS

PF Name: TEEL 13V

Prog Alt Id: Permit Status: ACT

Well Record Date: Well Type: GS

PF Name: RATZEL 3V

Prog Alt Id: Permit Status: ACT

Well Record Date: Well Type: GS

PF Name: G SHIELDS 2H

Prog Alt Id: Permit Status: ACT

Well Record Date: Well Type: GS

PF Name: A HUNSINGER 2H

Prog Alt Id: Permit Status: ACT

Well Record Date: Well Type: GS

PF Name: A HUNSINGER 1H

Prog Alt Id: Permit Status: ACT

Well Record Date: Well Type: GS

PF Name: R HULL 2H

Prog Alt Id: Permit Status: ACT

Well Record Date: Well Type: GS

PF Name: R HULL 1H

Prog Alt Id: Permit Status: ACT

Well Record Date: Well Type: GS

PF Name: HEITSMAN 3V

Prog Alt Id: Permit Status: ACT

Well Record Date: Well Type: GS

Ics Organization: 4600 EP Nw Rqnl Off Meadville

County: 58 Susquehanna

Drill Comm Date: PF Other Id: 115-20130

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: HUBBARD 4

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20131

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: HUBBARD 3

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20132

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: DEPAOLA 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20133

Municipality: Springville Township

PF Status: ACTIV

Plug Cert Date:

PF Name: BLACK 3V

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20134

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: D BERRY 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20135

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: W AILEO 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20139

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: C LARUE 1

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20140

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: HEITSMAN 2

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Drill Comm Date: PF Other Id: 115-20142

Municipality: Dimock Township

PF Status: ACTIV

Plug Cert Date:

PF Name: GREENWOOD 3V

Prog Alt Id:

Well Record Date:

Permit Status: ACT

Well Type: GS

Ics Organization: 4600 EP NW Rqnl Off Meadville

County: 58 Susquehanna

Drill Comm Date: PF Other Id: 707401

PF Name: RATZEL 2H

Municipality: Dimock Township

Prog Alt Id:

Permit Status: ACT

PF Status: ACTIV

Plug Cert Date:

Well Record Date:

Well Type: GS

Total PFs for County: 80

Total PFs for ICS Org: 80

Ansell, Mark

From: Kucsma, Paul
Sent: Friday, January 23, 2009 7:04 AM
To: Welsh, Douglas; Ansell, Mark
Subject: FW: Emailing: Black 1H, Black 2H, Brooks 1H, Costello 1, Costello 2, Ely 1H, Ely 2, Ely 4, Ely 6H, Gesford 2, Gesford 3, Gesford 3S, Heitsman, A 1H, Hubbard 1, Lewis 1, Lewis 2, Teel 2, Teel 5, Teel 6, Teel 7, Baker 1

 Black 1H.pdf (259 KB)  Black 2H.pdf (190 KB)  Brooks 1H.pdf (123 KB)  Costello 1.pdf (119 KB)  Costello 2.pdf (121 KB)  Ely 1H.pdf (107 KB)  Ely 2.pdf (124 KB)

 Ely 4.pdf (225 KB)  Ely 6H.pdf (141 KB)  Gesford 2.pdf (123 KB)  Gesford 3.pdf (211 KB)  Gesford 3S.pdf (128 KB)  Heitsman A 1H.pdf (122 KB)  Hubbard 1.pdf (131 KB)

 Lewis 1.pdf (124 KB)  Lewis 2.pdf (123 KB)  Teel 2.pdf (121 KB)  Teel 5.pdf (123 KB)  Teel 6.pdf (124 KB)  Teel 7.pdf (133 KB)  Baker 1.pdf (206 KB)

-----Original Message-----

From: Tom Liberatore [mailto:Tom.Liberatore@cabotog.com]
Sent: Thursday, January 22, 2009 5:04 PM
To: Lobins, Craig; Kucsma, Paul
Cc: Komoroski, Kenneth
Subject: FW: Emailing: Black 1H, Black 2H, Brooks 1H, Costello 1, Costello 2, Ely 1H, Ely 2, Ely 4, Ely 6H, Gesford 2, Gesford 3, Gesford 3S, Heitsman, A 1H, Hubbard 1, Lewis 1, Lewis 2, Teel 2, Teel 5, Teel 6, Teel 7, Baker 1

Craig,

Attached are well records for all wells drilled in Susquehanna. Note that not all wells are completed. I will send a map on topo base showing wells. I will also send schematic drawings of the key wells at issue.

-----Original Message-----

From: Terry Clark
Sent: Thursday, January 22, 2009 3:36 PM
To: Tom Liberatore
Subject: Emailing: Black 1H, Black 2H, Brooks 1H, Costello 1, Costello 2, Ely 1H, Ely 2, Ely 4, Ely 6H, Gesford 2, Gesford 3, Gesford 3S, Heitsman, A 1H, Hubbard 1, Lewis 1, Lewis 2, Teel 2, Teel 5, Teel 6, Teel 7, Baker 1

These are also saved in your liberatopre folder under another folder I named "PA Well Record and Completion Report" <<Black 1H.pdf>> <<Black 2H.pdf>> <<Brooks 1H.pdf>> <<Costello 1.pdf>> <<Costello 2.pdf>> <<Ely 1H.pdf>> <<Ely 2.pdf>> <<Ely 4.pdf>> <<Ely 6H.pdf>> <<Gesford 2.pdf>> <<Gesford 3.pdf>> <<Gesford 3S.pdf>> <<Heitsman, A 1H.pdf>> <<Hubbard 1.pdf>> <<Lewis 1.pdf>> <<Lewis 2.pdf>> <<Teel 2.pdf>> <<Teel 5.pdf>> <<Teel 6.pdf>> <<Teel 7.pdf>> <<Baker 1.pdf>>

- Evaluating if there is gas release from the annular space of interior casing string of Gesford #3S well;
- Investigating the seal integrity between the 4" and 7" casing in the Baker 1 well;
- Paying to have a water well professional evaluate the water supply systems for the Fiorentino and Sautner residences;
- Gathering well head and annular pressures from all wells and Cabot has invited DEP to participate in this information gathering; and
- Reviewing the pressures and logs on any well with annular pressure.

Next, Cabot will:

- Review the pressures and logs on any well with annular pressure and devise a plan to either blow down or pump fluid to kill any non-productive gas zones on a well by well basis;
- Submit well records to DEP; and
- Submit water testing data. To DEP
- Suggest that DEP put a public notice out that homeowners should vent make sure all water well systems are vented as standard safety practice.

In addition to the action items listed above, Cabot has retained SE Technologies to develop a groundwater evaluation program focusing on the possible sources and pathways of methane in the regional water supply. A professional geologist from SE Technologies visited the Dimock Township well locations earlier this week and met with residents to obtain firsthand information on water well depth, casing depth and other relevant information. Cabot has asked SE Technologies to prepare a proposal for immediate review of possible sources of methane/natural gas in the regional water supply.

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20048-00	Project Number	Acres
Address 900 Lee St, East - Suite 500			Well Farm Name BLACK	Well # 1H	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Hopbottom			
Check all that apply: ☒ Original Well Record ☐ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report					

Well Type		☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal							
Drilling Method		☒ Rotary - Air ☒ Rotary - Mud ☐ Cable Tool							
Date Drilling Started 06/14/08		Date Drilling Completed 09/11/08		Surface Elevation 1410 ft.		Total Depth - Driller 9684 ft.		Total Depth - Logger 9684 ft.	
Casing and Tubing					Cement returned on surface casing? ☒ Yes ☐ No Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A				
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth			Date Run
17.5"	13.375"	37	ST&C	40	10 sks Portland				06/14/08
12.375"	9.675"	26	ST&C	1288	300 sks Class A w/ 4% Gel & 2%	Cent	As	Needed	06/16/08
					100 sks Cls A w/ 2% CaCl				
8.875"	7"	23	ST&C	1828	140 sks Cls A w/ 4% Gel & 2% CaCl	Cent	As	Needed	06/18/08
					100 sks Cls A w/ 2% CaCl				
6-25"	4.5"	11.6	LT&C	9663	Packers Plus Frac Packers				09/11/08

Perforation Record			Stimulation Record						
Date	<i>Interval Perforated</i> From To		Date	Interval Treated	<i>Fluid</i> Type Amount		<i>Propping Agent</i> Type Amount		Average Injection
Natural Open Flow	None Gauged			Natural Rock Pressure				Hours	Days
After Treatment Open Flow				After Treatment Rock Pressure				Hours	Days

Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name Schlumberger	Name SW Jack Drilling
Address 660 Longview Road	Address 95 Rutherford Run	Address 57 South 9th Street
City - State - Zip Fairmont City, PA	City - State - Zip Bradford, PA	City - State - Zip Indiana, PA
Phone 814-365-2003	Phone 814-362-7441	Phone 724-463-5126

Job Number: DR080221
 Company: CABOT OIL & GAS
 Lease/Well: BLACK # 1H
 Location: SUSQUEHANNA COUNTY
 Rig Name: SW JACK # 19
 RKB:
 G.L. or M.S.L.:

State/Country: PA / USA
 Declination: 12.30 DEGREES WEST
 Grid:

File name: C:\WINSERVE\ACCESS\BLACK1H.SVY
 Date/Time: 08-Sep-08 / 05:30
 Curve Name: Working Curve

WINSERVE SURVEY CALCULATIONS

Minimum Curvature Method

Vertical Section Plane 140.00

Vertical Section Referenced to offset from Wellhead: EW =.00 Ft, NS=.00 Ft

Rectangular Coordinates Referenced to Wellhead

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	CLOSURE Distance FT	CLOSURE Direction Deg	Dogleg Severity Deg/100
6414.00	10.73	8.25	6410.54	162.50	50.19	-92.22	170.07	17.16	.00
6446.00	6.40	13.40	6442.18	167.19	51.03	-95.27	174.80	16.97	13.73
6477.00	3.30	37.60	6473.06	169.57	51.98	-96.49	177.36	17.04	11.77
6509.00	1.90	118.10	6505.04	170.05	53.01	-96.20	178.12	17.31	11.02
6541.00	4.80	137.10	6536.98	168.82	54.39	-94.37	177.37	17.86	9.58
6572.00	7.20	142.00	6567.81	166.34	56.47	-91.13	175.66	18.75	7.91
6604.00	8.60	149.80	6599.51	162.69	58.90	-86.77	173.03	19.90	5.50
6635.00	10.30	149.10	6630.08	158.31	61.49	-81.75	169.84	21.23	5.50
6667.00	12.00	145.90	6661.48	153.10	64.83	-75.61	166.26	22.95	5.65
6699.00	13.90	146.60	6692.66	147.14	68.81	-68.48	162.43	25.06	5.96
6730.00	15.90	148.00	6722.62	140.43	73.11	-60.58	158.32	27.50	6.55
6762.00	17.50	146.60	6753.27	132.69	78.08	-51.46	153.96	30.47	5.16
6794.00	18.50	144.90	6783.70	124.52	83.65	-41.62	150.01	33.89	3.53
6826.00	19.90	144.10	6813.92	115.96	89.76	-31.13	146.64	37.74	4.45
6857.00	21.50	144.90	6842.92	107.03	96.12	-20.21	143.86	41.93	5.24
6889.00	23.00	146.30	6872.54	97.04	102.96	-8.15	141.48	46.70	4.97
6921.00	24.00	147.00	6901.88	86.38	109.98	4.52	139.84	51.85	3.24
6951.00	25.20	146.30	6929.16	75.95	116.84	16.93	139.36	56.98	4.12
6983.00	27.50	145.90	6957.83	64.16	124.77	31.05	140.30	62.79	7.21
7015.00	31.10	145.20	6985.73	51.25	133.63	46.63	143.12	69.02	11.30
7046.00	34.50	144.90	7011.79	37.49	143.25	63.36	148.07	75.33	10.98
7078.00	36.00	146.60	7037.92	22.22	153.64	81.73	155.24	81.77	5.60
7109.00	37.70	147.00	7062.73	6.66	163.82	100.19	163.95	87.67	5.54
7141.00	39.50	146.30	7087.73	-10.01	174.79	120.02	175.08	93.28	5.79
7173.00	41.80	145.90	7112.01	-27.31	186.42	140.75	188.41	98.33	7.23

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Depth FT	N-S FT	Vertical E-W FT	CLOSURE Section FT	CLOSURE Distance FT	Dogleg Direction Deg	Dogleg Severity Deg/100
7204.00	44.60	146.30	7134.61	-44.92	198.25	161.85	203.28	102.77	9.08
7236.00	47.80	147.00	7156.75	-64.21	210.94	184.78	220.50	106.93	10.12
7268.00	51.70	146.60	7177.42	-84.65	224.32	209.03	239.76	110.67	12.22
7300.00	56.60	146.30	7196.16	-106.25	238.65	234.80	261.24	114.00	15.33
7331.00	60.00	145.90	7212.45	-128.14	253.36	261.02	283.92	116.83	11.02
7363.00	61.30	145.90	7228.13	-151.24	269.00	288.76	308.60	119.35	4.06
7395.00	63.10	145.60	7243.06	-174.64	284.93	316.93	334.19	121.50	5.69
7426.00	65.80	146.30	7256.42	-197.81	300.58	344.74	359.83	123.35	8.94
7448.00	68.80	145.20	7264.91	-214.58	312.01	364.93	378.67	124.52	14.40
7479.00	71.80	144.90	7275.36	-238.50	328.73	394.00	406.13	125.96	9.72
7511.00	72.10	145.20	7285.28	-263.44	346.15	424.31	435.00	127.27	1.29
7543.00	74.60	145.20	7294.45	-288.61	363.65	454.84	464.26	128.44	7.81
7573.00	76.90	144.50	7301.83	-312.38	380.39	483.81	492.22	129.39	7.99
7605.00	79.10	144.10	7308.48	-337.80	398.65	515.02	522.53	130.28	6.98
7636.00	81.30	144.90	7313.76	-362.67	416.39	545.47	552.19	131.06	7.54
7668.00	83.10	145.20	7318.10	-388.65	434.55	577.05	583.00	131.81	5.70
7699.00	85.30	144.90	7321.23	-413.93	452.22	607.77	613.06	132.47	7.16
7731.00	87.30	144.50	7323.30	-439.99	470.67	639.59	644.30	133.07	6.37
7763.00	88.90	144.50	7324.36	-466.03	489.24	671.48	675.68	133.61	5.00
7794.00	90.00	144.90	7324.66	-491.33	507.16	702.37	706.12	134.09	3.78
7826.00	90.40	144.90	7324.55	-517.51	525.56	734.25	737.58	134.56	1.25
7858.00	90.10	144.90	7324.41	-543.69	543.96	766.14	769.08	134.99	.94
7890.00	90.10	144.90	7324.35	-569.87	562.36	798.02	800.62	135.38	.00
7921.00	91.30	144.90	7323.97	-595.23	580.18	828.90	831.21	135.73	3.87
7953.00	90.10	144.50	7323.58	-621.34	598.67	860.79	862.83	136.06	3.95
7985.00	89.30	144.90	7323.75	-647.46	617.16	892.68	894.48	136.37	2.80
8017.00	89.90	144.90	7323.97	-673.64	635.56	924.57	926.13	136.67	1.87
8048.00	89.90	144.90	7324.03	-699.00	653.39	955.45	956.82	136.93	.00
8080.00	92.40	146.30	7323.38	-725.40	671.46	987.29	988.46	137.21	8.95
8112.00	92.70	146.30	7321.96	-751.99	689.20	1019.07	1020.04	137.49	.94
8143.00	90.10	145.20	7321.20	-777.61	706.64	1049.90	1050.72	137.74	9.11
8175.00	91.80	145.90	7320.67	-803.99	724.73	1081.74	1082.42	137.97	5.75
8207.00	92.00	145.90	7319.61	-830.47	742.67	1113.55	1114.11	138.19	.62
8239.00	90.80	144.50	7318.83	-856.74	760.92	1145.41	1145.86	138.39	5.76
8271.00	91.00	144.90	7318.33	-882.85	779.41	1177.30	1177.67	138.56	1.40
8302.00	91.00	144.90	7317.79	-908.21	797.23	1208.18	1208.48	138.72	.00
8334.00	90.70	144.90	7317.31	-934.39	815.63	1240.06	1240.30	138.88	.94
8366.00	90.80	145.20	7316.89	-960.62	833.96	1271.94	1272.11	139.04	.99
8397.00	90.90	145.20	7316.43	-986.07	851.65	1302.80	1302.94	139.18	.32
8429.00	90.30	145.60	7316.10	-1012.41	869.82	1334.66	1334.75	139.33	2.25
8461.00	90.30	146.30	7315.93	-1038.92	887.74	1366.49	1366.54	139.49	2.19
8492.00	90.30	146.60	7315.77	-1064.76	904.87	1397.29	1397.32	139.64	.97

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	Vertical E-W FT	CLOSURE Section FT	CLOSURE Distance FT	CLOSURE Direction Deg	Dogleg Severity Deg/100
8524.00	90.20	146.30	7315.63	-1091.42	922.56	1429.09	1429.10	139.79	.99
8556.00	89.30	145.20	7315.77	-1117.87	940.57	1460.93	1460.93	139.92	4.44
8588.00	89.80	145.20	7316.02	-1144.15	958.83	1492.79	1492.79	140.04	1.56
8620.00	90.40	144.50	7315.96	-1170.31	977.25	1524.68	1524.68	140.14	2.88
8651.00	91.30	143.80	7315.50	-1195.44	995.40	1555.59	1555.60	140.22	3.68
8683.00	91.60	143.40	7314.69	-1221.19	1014.39	1587.52	1587.54	140.29	1.56
8715.00	91.40	143.40	7313.86	-1246.87	1033.46	1619.45	1619.48	140.35	.62
8747.00	91.40	143.10	7313.07	-1272.50	1052.60	1651.39	1651.43	140.40	.94
8778.00	92.00	142.40	7312.15	-1297.17	1071.36	1682.34	1682.39	140.45	2.97
8810.00	92.30	142.40	7310.95	-1322.50	1090.87	1714.29	1714.35	140.48	.94
8842.00	92.20	142.40	7309.70	-1347.84	1110.38	1746.24	1746.31	140.52	.31
8873.00	92.30	142.40	7308.48	-1372.38	1129.28	1777.19	1777.27	140.55	.32
8905.00	92.70	142.40	7307.08	-1397.71	1148.78	1809.13	1809.22	140.58	1.25
8937.00	92.90	142.40	7305.52	-1423.03	1168.28	1841.06	1841.17	140.61	.62
8968.00	92.70	141.70	7304.01	-1447.44	1187.32	1872.00	1872.12	140.64	2.35
9000.00	92.60	141.70	7302.53	-1472.53	1207.14	1903.96	1904.08	140.66	.31
9032.00	92.30	141.30	7301.16	-1497.55	1227.04	1935.92	1936.05	140.67	1.56
9095.00	92.20	140.30	7298.69	-1546.33	1266.83	1998.86	1999.00	140.67	1.59
9127.00	92.20	140.60	7297.46	-1570.99	1287.19	2030.84	2030.98	140.67	.94
9159.00	92.20	140.60	7296.23	-1595.70	1307.48	2062.81	2062.95	140.67	.00
9190.00	92.20	140.30	7295.04	-1619.59	1327.21	2093.79	2093.93	140.67	.97
9222.00	92.20	140.30	7293.81	-1644.19	1347.63	2125.76	2125.90	140.66	.00
9253.00	92.50	139.90	7292.54	-1667.95	1367.50	2156.74	2156.88	140.65	1.61
9284.00	91.50	139.60	7291.46	-1691.60	1387.52	2187.72	2187.85	140.64	3.37
9316.00	91.80	139.90	7290.54	-1716.01	1408.19	2219.70	2219.84	140.63	1.33
9348.00	91.70	139.90	7289.56	-1740.47	1428.79	2251.69	2251.82	140.62	.31
9380.00	89.90	138.90	7289.11	-1764.77	1449.61	2283.68	2283.81	140.60	6.43
9411.00	89.90	138.90	7289.17	-1788.13	1469.99	2314.68	2314.79	140.58	.00
9443.00	89.70	138.90	7289.28	-1812.24	1491.02	2346.67	2346.78	140.55	.62
9475.00	89.80	138.50	7289.42	-1836.28	1512.14	2378.66	2378.76	140.53	1.29
9506.00	90.00	138.90	7289.47	-1859.57	1532.60	2409.65	2409.75	140.51	1.44
9538.00	90.00	138.50	7289.47	-1883.61	1553.72	2441.64	2441.73	140.48	1.25
9570.00	90.10	138.90	7289.44	-1907.65	1574.84	2473.64	2473.72	140.46	1.29
9602.00	90.40	138.90	7289.30	-1931.77	1595.88	2505.63	2505.70	140.44	.94
9634.00	90.60	138.90	7289.03	-1955.88	1616.92	2537.62	2537.69	140.42	.62
Projection to TD									
9684.00	90.60	138.90	7288.50	-1993.55	1649.78	2587.61	2587.67	140.39	.00

WELL RECORD AND COMPLETION REPORT

Well Operator Cabot Oil & Gas Corporation		DEP ID # 43513	Well API # (Permit / Reg) 37-115-20056-00	Project Number	Acres
Address 900 Lee St, East - Suite 500			Well Farm Name BLACK	Well # 2H	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Hopbottom			

Check all that apply: ☒ Original Well Record ☐ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report

WELL RECORD Also complete Log of Formations on back (page 2)

COMPLETION REPORT

Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.		
Name BJ Services	Name Schlumberger	Name SW Jack Drilling
Address 660 Longview Road	Address 95 Rutherford Run	Address 57 South 9 th Street
City - State - Zip Fairmont City, PA	City - State - Zip Bradford, PA	City - State - Zip Indiana, PA
Phone 814-365-2003	Phone 814-362-7441	Phone 724-463-5126

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20051-00	Project Number	Acres
Address 900 Lee St, East - Suite 500			Well Farm Name BROOKS	Well # 1H	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Springville Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Hop Bottom			
Check all that apply: ☒ Original Well Record ☐ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report					

Well Type		☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal							
Drilling Method		☒ Rotary - Air ☒ Rotary - Mud ☐ Cable Tool							
Date Drilling Started 10/06/08		Date Drilling Completed 11/18/08		Surface Elevation 1120 ft.		Total Depth - Driller 9450 ft.		Total Depth - Logger 9450 ft.	
Casing and Tubing					Cement returned on surface casing? ☒ Yes ☐ No Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A				
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run		
24"	20"	54	ST&C	40					10/07/08
17.5"	13.375"	37	ST&C	160	170 sks Class A w/ 3	Cent	As	Needed	10/10/08
12.25"	9.675"	26	ST&C	1289	500 sks Cls A w/ 2% CaCl	Cent	As	Needed	10/17/08
8.75"	7"	23	ST&C	1562	75 sks Cls A w/4% Gel & 2% CaCl	Cent	As	Needed	10/18/08
					100 sks Class A w/ 2% caCl				
6.25"	4.5"	11.6	LT&C	9429'	Packers Plus Frac Packers				11/21/08

Perforation Record						Stimulation Record							
Date	<i>Interval Perforated</i> From To		Date	Interval Treated	Type	<i>Fluid</i> Amount		<i>Propping Agent</i> Type Amount		Average Injection			
Natural Open Flow	None Gauged			Natural Rock Pressure	Not Gauged					Hours Days			
After Treatment Open Flow	N/A			After Treatment Rock Pressure	N/A					Hours Days			
Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.													
Name BJ Services	Name GDS, Inc.			Name SW Jack Drilling									
Address 660 Longview Road	Address 466 Airport Industrial Park Road			Address 57 South 9th Street									
City - State - Zip Fairmont City, PA	City - State - Zip Parkersburg, WV			City - State - Zip Indiana, PA									
Phone 814-365-2003	Phone 304-464-4666			Phone 724-463-5126									

LOG OF FORMATIONSWell API#: **37-115-20051**

Formation Name or Type	Top (feet)	Bottom (feet)	Gas at (feet)	Oil at (feet)	Water at (fresh / brine: ft.)	Source of Data
Glacial Till	0	140			FW @ 90	Driller's Log
Sand/Silt/Shale	140	4810				Driller's Log
Genesee	4810	4860				Driller's Log
Tully Limestone	4860	4976				Driller's Log
Manantango Shale	4976	6999				Driller's Log
Upper Marcellus	6999	7104				Driller's Log
Cherry River	7104	7123				Driller's Log
Shale	7123	7209				Driller's Log
Purcell	7209	7337				Driller's Log
Lower Marcellus	7337	9450				Driller's Log

Please delete empty rows if necessary to make all of page 2 fit on one page.

Well Operator's Signature:


 Title: Drilling Superintendent Date: 01/22/09

DEP USE ONLY

Reviewed by:

Date:

Comments:



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20036-00		Project Number	Acres
Address 900 Lee Street East STE 500			Well Farm Name Costello		Well # 1	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna		Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Springville				
Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report						

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal						
Drilling Method	☒ Rotary - Air ☐ Rotary - Mud ☐ Cable Tool						
Date Drilling Started 7/26/2008	Date Drilling Completed 10/14/08	Surface Elevation 1200 ft.	Total Depth - Driller 7047 ft.	Total Depth - Logger 7014 ft.			
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A					
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
17-1/2"	13-3/8"	37	ST&C	42'	25 sks Portland Cmt	cent as needed	7/26/08
12-1/4"	9-5/8"	26	ST&C	727'	300 sks Class A w/ 2% CaCl	cent as needed	7/30/08
8-7/8"	7"	19	ST&C	1566'	155 sks Cls A w/4% Gel & 2% CaCl	cent as needed	8/1/08
					130 sks Cls A w/ 2% CaCl		
6-1/4"	4-1/2"	20	ST&C	6990'	175 sks Cls "A" w/2% Gel 2% CaCl	cent as needed	8/11/08
	2-3/8"	4.7	LT&C	6828'			10/14/08

COMPLETION REPORT

Perforation Record			Stimulation Record					
Date	Interval Perforated From To		Date	Interval Treated	Fluid Type Amount	Propping Agent Type Amount	Average Injection	
9/29/08	6800 6935		9/30/08	Marcellus Shale	Slick Water	Sand 215000	5957	
9/30/08	6630 6680		10/1/08	Upper Marcellus	Slick Water	Sand 154200	5596	

Natural Open Flow	TSTM	Natural Rock Pressure	Hours	Days
After Treatment Open Flow	To Wet To Guage	After Treatment Rock Pressure	Not Gauged	Hours Days

Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name Schlumberger	Name SW Jack
Address 660 Longview Road	Address 600 Industrial Drive	Address 420 Little Sandy Road
City - State - Zip Fairmount City, Pa.	City - State - Zip Beckley, WV	City - State - Zip Elkview, WV
Phone 814-365-2003	Phone 304-353-9303	Phone 304-472-9403

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID # 43513	Well API # (Permit / Reg) 37-115-20043-00	Project Number	Acres
Address 900 Lee Street East STE 500			Well Farm Name Costello	Well # 2	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Springville			

Check all that apply: ☒ Original Well Record ☐ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type		☒ Gas	☐ Oil	☐ Combination Oil & Gas	☐ Injection	☐ Storage	☐ Disposal
Drilling Method		☒ Rotary - Air	☒ Rotary - Mud	☐ Cable Tool			
Date Drilling Started 8/19/08		Date Drilling Completed 10/28/06		Surface Elevation 1320 ft.	Total Depth - Driller 7150 ft.	Total Depth - Logger 7142 ft.	
Casing and Tubing				Cement returned on surface casing? ☒ Yes ☐ No			
				Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A			
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
20"	16"	53.5	LS	44'	40 sks Portland Cmt	cent as needed	8/19/08
15"	11-3/4"	42	LS	846'	380 sks BJ Surflite	cent as needed	8/25/08
10-3/4"	8-5/8"	32	J-55/k-55	1554'	200 sks Cls A w/4% Gel & 2% CaCl	cent as needed	8/28/08
					100 sks BJ Surflite		
7-7/8"	5-1/2"	20	LT&C	7081	220 sks Cls "A" w/2% Gel 2% CaCl	cent as needed	10/20/08

COMPLETION REPORT

Perforation Record			Stimulation Record						
Date	Interval Perforated From To		Date	Interval Treated	Fluid Type Amount		Propping Agent Type Amount		Average Injection
Natural Open Flow			TSTM		Natural Rock Pressure		Hours		Days
After Treatment Open Flow					After Treatment Rock Pressure		Hours		Days
Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.									
Name BJ Services			Name Schlumberger			Name SW Jack			
Address 660 Longview Road			Address 600 Industrial Drive			Address 420 Little Sandy Road			
City - State - Zip Fairmount City, Pa.			City - State - Zip Beckley, WV			City - State - Zip Elkview, WV			
Phone 814-365-2003			Phone 304-353-9303			Phone 304-472-9403			

LOG OF FORMATIONSWell API#: **37-115-20043**

Formation Name or Type	Top (feet)	Bottom (feet)	Gas at (feet)	Oil at (feet)	Water at (fresh / brine; ft.)	Source of Data
Sand/Silt/Shale	0	2022			143,188,775	E-Log
Catskill SandStone	2022	2031				E-Log
Silt/Shale	2031	4770				E-Log
Tully Limestone	4770	4885				E-Log
Mahantango Shale	4885	5052				E-Log
Silt/Shale	5052	6739				E-Log
Upper Marcellus	6739	6788				E-Log
Cherry River	6788	6800				E-Log
Shale	6800	6849				E-Log
Purcell	6849	6898				E-Log
Lower Marcellus	6898	7039				E-Log
Onondaga	7039	7142				E-Log

Please delete empty rows if necessary to make all of page 2 fit on one page.

Well Operator's Signature:**DEP USE ONLY**

Reviewed by:

Date:

Title:

Date:

Comments:

W. G. [Signature]
 Drilling Superintendent 1/22/09

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit/Reg) 37-115-20049-00	Project Number	Acres
Address 900 Lee St, East - Suite 500			Well Farm Name ELY	Well # 1H	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Hop Bottom			
Check all that apply: ☒ Original Well Record ☐ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report					

WELL RECORD Also complete Log of Formations on back (page 2)

[illegible]

COMPLETION REPORT

Perforation Record			Stimulation Record						
Date	Interval Perforated From To		Date	Interval Treated	Type	Fluid Amount	Propping Agent Type Amount		Average Injection
Natural Open Flow	499			Natural Rock Pressure					
After Treatment Open Flow				After Treatment Rock Pressure				Hours Days	
Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.									
Name Schlumberger	Name GDS, Inc.			Name					
Address 95 Rutherford Run	Address 466 Airport Industrial Park Road			Address					
City - State - Zip Bradford, PA	City - State - Zip Parkersburg, WV			City - State - Zip					
Phone 814-362-7441	Phone 304-464-4666			Phone					



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20015	Project Number	Acres
Address 900 Lee St, East - Suite 500		Well Farm Name ELY		Well # 2	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Hop Bottom			

Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal						
Drilling Method	☒ Rotary - Air ☐ Rotary - Mud ☐ Cable Tool						
Date Drilling Started 7/24/2008	Date Drilling Completed 10/31/2008	Surface Elevation 1335 ft.	Total Depth - Driller 7145 ft.	Total Depth - Logger N/A ft.			
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A					
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
17.5"	13.375"	37	LT&C	40	25 sks Portland	Cent As Needed	7/24/08
12.25"	9.675"	26	LT&C	948	385 sks Class A w/ 2% CaCl	Cent As Needed	7/25/08
8.75"	7"	23	LT&C	1578	165 sks Cls A w/4% Gel & 2% CaCl		7/31/08
					100 sks Cls A w/ 2% CaCl		
6.25"	4.5"	11.6	ST&C	7306	200 Class A w/2% Gel & 2% CaCl	Cent As Needed	8/7/08
	2.375"	4.7	8rd	6912			

COMPLETION REPORT

Perforation Record			Stimulation Record				
Date	Interval Perforated From To		Date	Interval Treated	Fluid Type Amount	Propping Agent Type Amount	Average Injection
10/13/08	6930 7035		10/16/08	Lower Marcellus	Slick Water	Sand 22200	6054
10/15/08	6730 6770		10/16/08	Upper Marcellus	Slick Water	Sand 132391	5150
Natural Open Flow		1500	Natural Rock Pressure		N/A	Hours Days	
After Treatment Open Flow		To Wet To Gage	After Treatment Rock Pressure		1700	40 Hours 1.67 Days	

Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name Schlumberger	Name GDS, Inc.
Address 660 Longview Road	Address 95 Rutherford Run	Address 466 Airport Industrial Park Road
City - State - Zip Fairmont City, PA	City - State - Zip Bradford, PA	City - State - Zip Parkersburg, WV
Phone 814-365-2003	Phone 814-362-7441	Phone 304-464-4666

LOG OF FORMATIONS

Well API#: 37-115-20015

Formation Name or Type	Top (feet)	Bottom (feet)	Gas at (feet)	Oil at (feet)	Water at (fresh / brine; ft.)	Source of Data
Sand/Silt/Shale	0	1979				E-Log
Catskill Sandstone	1979	1986				E-Log
Shale	1986	2562				E-Log
Sand	2562	2567				E-Log
Silt/Shale	2567	3066				E-Log
Bradford Sandstone	3066	3609				E-Log
Silt/Shale	3609	3802				E-Log
Elk Siltstone	3802	4333				E-Log
Silt/Shale	4333	4556				E-Log
Genesee	4556	4721				E-Log
Tully Limestone	4721	4840				E-Log
Mahantango Shale	4840	5154				E-Log
Silt/Shale	5154	6724	5607			E-Log
Upper Marcellus	6724	6773				E-Log
Cherry River	6773	6787				E-Log
Shale	6787	6834				E-Log
Purcell	6834	6890				E-Log
Lower Marcellus	6890	7033				E-Log
Onondaga	7033	7145				E-Log
Please delete empty rows if necessary to make all of page 2 fit on one page.						
Well Operator's Signature:			DEP USE ONLY			
w. G. [Signature]			Reviewed by:		Date:	
Title: Drilling Superintendent			Date: 1/20/2009		Comments:	



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

WELL RECORD AND COMPLETION REPORT

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20034	Project Number	Acres
Address 900 Lee St, East - Suite 500			Well Farm Name ELY	Well # 4	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Hop Bottom			

Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal						
Drilling Method	☒ Rotary - Air ☐ Rotary - Mud ☐ Cable Tool						
Date Drilling Started 3/30/08	Date Drilling Completed 4/14/08	Surface Elevation 1210 ft.	Total Depth - Driller 7244 ft.	Total Depth - Logger 7245 ft.			
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A					
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount In Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
17.5"	13.375"	37	LT&C	35	Sanded in.	Cent As Needed	4/14/08
12.25"	9.675"	26	LT&C	406	150 sks Class A w/ 2% CaCl	Cent As Needed	3/31/08
8.75"	7"	19	LT&C	1490	140 sks Cls A w/4% Gel & 2% CaCl		4/2/08
					100 sks Cls A w/ 2% CaCl		
6.25"	4.5"	11.6	ST&C	7225	130 Class A w/2% Gel & 2% CaCl	Cent As Needed	4/14/08
	2.375	4.7	EUE	6757			12/07/08


COMPLETION REPORT

Perforation Record			Stimulation Record						
Date	Interval Perforated From To		Date	Interval Treated	Type	Fluid Amount	Propping Agent Type Amount	Average Injection	
11/06/08	7115 7170		11/06/08	Marcellus	SK	Water	Sand 218167	6513	
11/07/08	6985 7045		11/08/08	Marcellus	SK	Water	Sand 219711	6497	
11/07/08	6790 6840		11/07/08	Upper Marcellus	SK	Water	Sand 159636	5957	
Natural Open Flow TSTM			Natural Rock Pressure		N/A	Hours 8 Days			
After Treatment Open Flow Too wet to gauge			After Treatment Rock Pressure		Not gauged	192 Hours 8 Days			
Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.									
Name BJ Services			Name Schlumberger			Name GDS, Inc.			
Address 660 Longview Road			Address 95 Rutherford Run			Address 466 Airport Industrial Park Road			
City - State - Zip Fairmont City, PA			City - State - Zip Bradford, PA			City - State - Zip Parkersburg, WV			
Phone 814-365-2003			Phone 814-362-7441			Phone 304-464-4666			

LOG OF FORMATIONSWell API#: **37-115-20034**

Formation Name or Type	Top (feet)	Bottom (feet)	Gas at (feet)	Oil at (feet)	Water at (fresh / brine; ft.)	Source of Data
Sand / Silt / Shale	0	1940			FW @ 50	E-Log/water from drill log
Catskill SS	1940	1947				E-Log
Shale	1947	2586				E-Log
Sand	2586	2597				E-Log
Silt / Shale	2597	3022				E-Log
Bradford SS	3022	3593			SW @ 3452	E-Log/water from drill log
Silt / Shale	3593	3881				E-Log
Elk Siltstone	3881	4333	4184			E-Log
Silt / Shale	4333	4652				E-Log
Genesee	4652	4714				E-Log
Tully LS	4714	4832				E-Log
Mahantango Shale	4832	5143				E-Log
Silt / Shale	5143	6715				E-Log
Upper Marcellus	6715	6841				E-Log
Cherry River	6841	6858				E-log
Shale	6858	6918				E-log
Purcell	6918	6983				E-log
Lower Marcellus	6983	7177				E-log
Onondaga	7177					

Please delete empty rows if necessary to make all of page 2 fit on one page.

Well Operator's Signature:


Title:

Drilling Superintendent

Date:

01/20/09

DEP USE ONLY

Reviewed by:

Date:

Comments:

Job Number: DR080190 State/Country: PA / USA
 Company: CABOT OIL & GAS Declination: 12.30 DEGREES WEST
 Lease/Well: ELY # 6 H Grid:
 Location: SUSQUEHANNA COUNTY File name: C:\WINSERVE\ELY6H2.SVY
 Rig Name: SW JACK RIG # 19 Date/Time: 10-Aug-08 / 05:56
 RKB: Curve Name: WORKING CURVE
 G.L. or M.S.L.:

Directional Drilling Contractors, LLC
 SURVEY REPORT

WINSERVE SURVEY CALCULATIONS
 Minimum Curvature Method
 Vertical Section Plane 150.00

Vertical Section Referenced to offset from Wellhead: EW = .00 Ft NS = .00 Ft
 Rectangular Coordinates Referenced to Wellhead

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth FT	N-S FT	E-W FT	Vertical Section FT	CLOSURE Distance Deg	CLOSURE Direction Deg/100	Dogleg Severity
Gyro @ 5700' MD									
5700.00	.30	292.80	5697.43	137.92	-27.54	-133.21	140.64	348.71	.00
5782.00	1.00	356.50	5779.42	138.72	-27.78	-134.02	141.47	348.67	1.11
5787.00	.70	10.60	5784.42	138.79	-27.78	-134.09	141.54	348.68	7.27
5818.00	.90	1.80	5815.42	139.22	-27.74	-134.44	141.96	348.73	.76
5849.00	.90	323.40	5846.42	139.66	-27.87	-134.89	142.41	348.71	1.91
5880.00	.90	304.80	5877.41	139.99	-28.22	-135.35	142.81	348.60	.94
5912.00	.90	298.10	5909.41	140.26	-28.65	-135.79	143.15	348.46	.33
5943.00	3.90	156.40	5940.39	139.40	-28.44	-134.95	142.27	348.47	14.97
5974.00	7.00	156.80	5971.25	136.70	-27.27	-132.02	139.39	348.72	10.00
6005.00	8.40	155.80	6001.97	132.90	-25.60	-127.89	135.34	349.10	4.54
6036.00	8.60	157.50	6032.62	128.69	-23.79	-123.34	130.87	349.53	1.04
6067.00	9.20	155.80	6063.25	124.29	-21.88	-118.58	126.20	350.01	2.11
6098.00	10.20	152.20	6093.81	119.60	-19.59	-113.37	121.20	350.70	3.77
6129.00	11.10	150.80	6124.27	114.57	-16.85	-107.64	115.80	351.63	3.02
6160.00	11.90	151.50	6154.65	109.16	-13.87	-101.47	110.03	352.76	2.62
6192.00	13.50	153.60	6185.87	102.91	-10.63	-94.44	103.46	354.10	5.20
6223.00	15.10	155.80	6215.91	95.99	-7.37	-86.81	96.27	355.61	5.45
6254.00	16.50	156.40	6245.73	88.27	-3.95	-78.42	88.36	357.44	4.55
6285.00	17.00	156.10	6275.42	80.09	-.35	-69.54	80.09	359.75	1.64
6316.00	17.60	155.40	6305.02	71.69	3.43	-60.37	71.77	2.74	2.05
6350.00	18.90	153.30	6337.31	62.09	8.05	-49.75	62.61	7.38	4.28
6379.00	20.50	151.90	6364.61	53.42	12.55	-39.98	54.87	13.22	5.75
6410.00	22.40	149.10	6393.46	43.56	18.14	-28.65	47.18	22.61	6.96
6442.00	24.50	147.30	6422.82	32.74	24.86	-15.93	41.11	37.21	6.93

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth FT	N-S FT	Vertical E-W FT	CLOSURE Section FT	CLOSURE Distance Deg	CLOSURE Direction Deg/100	Dogleg Severity
6473.00	26.70	146.30	6450.77	21.54	32.20	-2.55	38.73	56.22	7.23
6504.00	28.30	147.00	6478.27	9.58	40.06	11.73	41.19	76.55	5.27
6535.00	29.20	148.40	6505.45	-3.02	48.03	26.63	48.12	93.60	3.63
6566.00	30.30	149.40	6532.36	-16.20	55.97	42.01	58.27	106.14	3.89
6597.00	29.50	149.80	6559.23	-29.52	63.79	57.46	70.29	114.84	2.66
6628.00	29.50	146.30	6586.22	-42.47	71.87	72.71	83.48	120.58	5.56
6660.00	31.10	145.60	6613.84	-55.85	80.91	88.82	98.31	124.62	5.12
6691.00	33.20	146.30	6640.09	-69.52	90.14	105.27	113.83	127.64	6.88
6722.00	35.50	147.00	6665.68	-84.13	99.75	122.73	130.49	130.14	7.53
6753.00	37.90	147.00	6690.53	-99.66	109.84	141.23	148.32	132.22	7.74
6784.00	40.20	146.60	6714.61	-116.00	120.54	160.73	167.29	133.90	7.46
6815.00	42.00	147.00	6737.97	-133.06	131.69	181.08	187.21	135.29	5.87
6846.00	41.20	146.30	6761.15	-150.25	143.01	201.62	207.43	136.41	2.98
6877.00	40.30	145.90	6784.63	-167.04	154.29	221.81	227.40	137.27	3.02
6909.00	41.70	145.90	6808.78	-184.43	166.06	242.75	248.17	138.00	4.37
6940.00	43.50	145.90	6831.60	-201.80	177.83	263.68	268.97	138.61	5.81
6971.00	45.50	145.60	6853.71	-219.76	190.06	285.35	290.54	139.15	6.49
7002.00	47.90	146.60	6874.97	-238.49	202.63	307.85	312.95	139.65	8.09
7033.00	51.40	148.00	6895.04	-258.37	215.39	331.45	336.37	140.18	11.80
7064.00	55.30	149.10	6913.54	-279.58	228.36	356.31	360.99	140.76	12.90
7095.00	57.50	150.10	6930.69	-301.85	241.42	382.12	386.52	141.35	7.59
7127.00	58.70	151.20	6947.60	-325.53	254.73	409.29	413.35	141.96	4.75
7158.00	58.70	150.50	6963.71	-348.67	267.64	435.77	439.54	142.49	1.93
7189.00	58.30	150.80	6979.91	-371.71	280.59	462.20	465.72	142.95	1.53
7221.00	60.60	150.10	6996.17	-395.68	294.18	489.76	493.06	143.37	7.43
7252.00	63.90	150.10	7010.60	-419.46	307.86	517.19	520.31	143.72	10.65
7284.00	67.20	150.50	7023.85	-444.76	322.29	546.31	549.25	144.07	10.38
7315.00	68.80	151.50	7035.46	-469.90	336.22	575.05	577.79	144.42	5.97
7346.00	71.10	151.90	7046.09	-495.54	350.02	604.16	606.69	144.76	7.52
7378.00	74.70	152.20	7055.49	-522.55	364.36	634.72	637.03	145.11	11.29
7409.00	78.30	151.90	7062.73	-549.17	378.48	664.84	666.96	145.43	11.65
7440.00	81.80	151.90	7068.09	-576.10	392.86	695.35	697.30	145.71	11.29
7472.00	86.40	151.90	7071.37	-604.17	407.85	727.15	728.95	145.98	14.37
7503.00	90.30	151.50	7072.27	-631.45	422.54	758.12	759.78	146.21	12.65
7534.00	91.50	150.80	7071.78	-658.60	437.49	789.11	790.67	146.40	4.48
7565.00	92.80	151.20	7070.62	-685.69	452.51	820.08	821.55	146.58	4.39
7597.00	93.70	152.20	7068.80	-713.82	467.66	852.02	853.37	146.77	4.20
7628.00	91.20	152.90	7067.48	-741.30	481.93	882.96	884.19	146.97	8.37
7659.00	89.60	151.90	7067.26	-768.78	496.30	913.93	915.05	147.16	6.09
7691.00	89.20	152.20	7067.60	-797.04	511.29	945.90	946.94	147.32	1.56
7722.00	88.70	152.20	7068.16	-824.46	525.75	976.88	977.83	147.47	1.61

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Depth FT	N-S FT	Vertical E-W FT	CLOSURE Section FT	CLOSURE Distance Deg	Dogleg Direction Deg/100	Severity
7753.00	89.30	151.20	7068.71	-851.75	540.44	1007.86	1008.74	147.60	3.76
7784.00	90.30	150.50	7068.81	-878.82	555.54	1038.85	1039.69	147.70	3.94
7815.00	92.00	150.10	7068.19	-905.74	570.90	1069.85	1070.65	147.78	5.63
7847.00	91.90	150.50	7067.10	-933.52	586.74	1101.83	1102.60	147.85	1.29
7878.00	90.40	151.50	7066.48	-960.63	601.77	1132.81	1133.55	147.94	5.81
7910.00	90.00	151.20	7066.37	-988.71	617.11	1164.80	1165.49	148.03	1.56
7942.00	90.20	151.20	7066.31	-1016.75	632.53	1196.80	1197.45	148.11	.62
7973.00	89.80	151.50	7066.31	-1043.96	647.39	1227.79	1228.40	148.20	1.61
8005.00	89.40	151.50	7066.54	-1072.08	662.66	1259.78	1260.35	148.28	1.25
8036.00	90.30	151.20	7066.62	-1099.28	677.52	1290.77	1291.30	148.35	3.06
8067.00	90.10	151.50	7066.51	-1126.49	692.39	1321.76	1322.26	148.42	1.16
8099.00	90.00	151.20	7066.48	-1154.57	707.73	1353.75	1354.22	148.49	.99
8130.00	89.80	151.90	7066.54	-1181.83	722.50	1384.74	1385.18	148.56	2.35
8161.00	90.50	152.20	7066.45	-1209.21	737.03	1415.72	1416.12	148.64	2.46
8193.00	90.40	151.90	7066.20	-1237.48	752.02	1447.70	1448.06	148.71	.99
8223.00	91.10	151.90	7065.81	-1263.94	766.15	1477.68	1478.01	148.78	2.33
8255.00	90.70	152.20	7065.31	-1292.20	781.15	1509.65	1509.96	148.85	1.56
8286.00	91.40	151.90	7064.74	-1319.58	795.68	1540.63	1540.91	148.91	2.46
8318.00	90.70	151.50	7064.15	-1347.75	810.84	1572.61	1572.86	148.97	2.52
8349.00	91.10	151.20	7063.67	-1374.95	825.71	1603.60	1603.83	149.01	1.61



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Perm / Reg) 37-115-20041-00	Project Number	Acres
Address 900 Lee St, East - Suite 500		Well Farm Name ELY		Well # 6H	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Hop Bottom			
Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report					

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas	☐ Oil	☐ Combination Oil & Gas	☐ Injection	☐ Storage	☐ Disposal	
Drilling Method	☒ Rotary - Air	☒ Rotary - Mud	☐ Cable Tool				
Date Drilling Started 04/17/08	Date Drilling Completed 08/11/08	Surface Elevation 1210 ft.	Total Depth - Driller 8925 ft.	Total Depth - Logger ft.			
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No					
		Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A					
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
17.5"	13.375"	37	ST&C	53	6 sks Portland & cuttings		04/17/08
12.375"	9.675"	26	ST&C	453	175 sks Class A w/ 4% Gel & 2%	Cent As Needed	04/19/08
					100 sks Cls A w/ 2% CaCl		
8.875"	7"	19	ST&C	3525	220 sks Cls A w/ 4% Gel & 2% CaCl	Cent As Needed	04/29/08
					100 sks Cls A w/ 2% CaCl		
6.25"	4.5"	11.6	LT&C	8864	Packers Plus Frac Packers		08/13/08

COMPLETION REPORT

Perforation Record			Stimulation Record					
Date	Interval Perforated From To		Date	Interval Treated	Fluid Type Amount	Propping Agent Type Amount	Average Injection	
	8846		10/01/08	Marcellus	Slick Water	Sand 298594	7303	
	8269		10/03/08	Marcellus	Slick Water	Sand 308406	6780	
	7884		10/03/08	Marcellus	Slick Water	Sand 312312	6659	
	7494		11/04/08	Marcellus	Slick Water	Sand 301491	7005	
	7063		11/04/08	Marcellus	Slick Water	Sand 304556	6890	
	6808		11/04/08	Marcellus	Slick Water	Sand 134341	6334	

Natural Open Flow	None Gauged	Natural Rock Pressure	Not Gauged	Hours	Days
After Treatment Open Flow	To Wet To Gauge	After Treatment Rock Pressure	Not Gauged	Hours	Days

Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name GDS, Inc.	Name SW Jack Drilling
Address 660 Longview Road	Address 466 Airport Industrial Park Road	Address 57 South 9th Street
City - State - Zip Fairmont City, PA	City - State - Zip Parkersburg, WV	City - State - Zip Indiana, PA
Phone 814-365-2003	Phone 304-464-4666	Phone 724-463-5126

LOG OF FORMATIONSWell API#: **37-115-20041**

Formation Name or Type	Top (feet)	Bottom (feet)	Gas at (feet)	Oil at (feet)	Water at (fresh / brine; ft.)	Source of Data
Sandstone/Silt/Shale	0	4670			FW @ 605	Driller's Log
Genesee	4670	4720				Driller's Log
Tully Limestone	4720	4830				Driller's Log
Mahantango Shale	4830	6836				Driller's Log
Upper Marcellus	6836	6901				Driller's Log
Cherry River	6901	6921				Driller's Log
Shale	6921	7014				Driller's Log
Purcell	7014	7123				Driller's Log
Lower Marcellus	7123	8755				Driller's Log
Please delete empty rows if necessary to make all of page 2 fit on one page.						
Well Operator's Signature:			DEP USE ONLY			
			Reviewed by:		Date:	
Title: Drilling Superintendent			Date: 01/21/09		Comments:	



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Perm) / Reg) 37-115-20033-00	Project Number	Acres
Address 900 Lee Street East STE 500		Well Farm Name Gesford		Well # 2	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Springville			

Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report


WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal								
Drilling Method	☒ Rotary - Air ☐ Rotary - Mud ☐ Cable Tool								
Date Drilling Started 9/20/08	Date Drilling Completed 10/14/08	Surface Elevation 1445 ft.	Total Depth - Driller 7183 ft.	Total Depth - Logger 7183 ft.					
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A							
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type	Size	Depth	Date Run
17-1/2"	13-3/8"	37	ST&C	46'	40 sks Portland Cmt	cent	as	needed	9/20/08
12-1/4"	9-5/8"	26	ST&C	1036'	350 sks Class A w/ 2% CaCl	cent	as	needed	9/23/08
8-7/8"	7"	23	ST&C	1575'	116 sks Cls A w/4% Gel & 2% CaCl	cent	as	needed	9/25/08
					110 sks Cls A w/ 2% CaCl				
6-1/4"	4-1/2"	11.6	ST&C	7143'	150 sks Cls "A" w/2% Gel 2% CaCl	cent	as	needed	10/7/08
	2-3/8"	4.7	LT&C	6828'					10/14/08

COMPLETION REPORT

Perforation Record			Stimulation Record						
Date	Interval Perforated From	To	Date	Interval Treated	Fluid Type	Amount	Propping Agent Type	Amount	Average Injection
11/14/08	7920	7070	11/18/08	Marcellus Shale	Stick	Water	Sand	158700	N/A
12/10/08	6750	6850	12/10/08	Upper Marcellus	Stick	Water	Sand	172598	6150
Natural Open Flow 179			Natural Rock Pressure						
After Treatment Open Flow To Wet To Gauge			After Treatment Rock Pressure						
			Not Gauged						
			Hours Days						
			Hours Days						
Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.									
Name BJ Services			Name Schlumberger			Name SW Jack			
Address 660 Longview Road			Address 600 Industrial Drive			Address 420 Little Sandy Road			
City - State - Zip Fairmount City, Pa.			City - State - Zip Beckley, WV			City - State - Zip Elkview, WV			
Phone 814-365-2003			Phone 304-353-9303			Phone 304-472-9403			

LOG OF FORMATIONSWell API#: **37-115-20033**

Formation Name or Type	Top (feet)	Bottom (feet)	Gas at (feet)	Oil at (feet)	Water at (fresh / brine; ft.)	Source of Data
Sand/Silt/Shale	0	2029	2005		FW @ 81	E-Log
Catskill SandStone	2029	2036	2396		FW @ 480	E-Log
Silt/Shale	2036	4730	3010		SW @ 2340	E-Log
Tully Limestone	4730	4840	5083		SW @ 3477	E-Log
Mahantango Shale	4840	5149	6505			E-Log
Silt/Shale	5149	6741				E-Log
Upper Marcellus	6741	6803				E-Log
Cherry River	6803	6813				E-Log
Shale	6813	6852				E-Log
Purcell	6852	6918				E-Log
Lower Marcellus	6918	7074				E-Log
Onondaga	7074	7183				E-Log
Please delete empty rows if necessary to make all of page 2 fit on one page.						
Well Operator's Signature:			DEP USE ONLY			
 Title: Drilling Superintendent Date: 1/20/2009			Reviewed by:		Date:	
			Comments:			

Certificate of Well Plugging

The undersigned representatives of the Well Operator certify that we participated in plugging this well, and that the work was started on (date) 10/07/08 , and that the well was plugged as follows.

Signature of Participants		
Signature -- Well Operator	Signature -- Qualified Participant	Signature -- Qualified Participant
		
Print or Type Signer's Name and Title	Print or Type Signer's Name, Title, & Co.	Print or Type Signer's Name, Title, & Co.
W. Lee Hornsby, Drilling Superintendent	Greg Lawson, Drilling Consultant, Richards Energy Co.	

DEP USE ONLY	
☐ Approved	☐ Denied
DEP Rep:	Date

Dept. of Environmental Protection
SW Regional Office – Oil & Gas
400 Waterfront Drive
Pittsburgh, PA 15222-4745



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20019-00	Project Number	Acres
Address 900 Lee St, East - Suite 500		Well Farm Name GESFORD		Well # 3S	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Springville			

Check all that apply: ☒ Original Well Record ☐ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas	☐ Oil	☐ Combination Oil & Gas	☐ Injection	☐ Storage	☐ Disposal	
Drilling Method	☒ Rotary - Air	☒ Rotary - Mud	☐ Cable Tool				
Date Drilling Started 10/13/08	Date Drilling Completed	Surface Elevation 1282 ft.	Total Depth - Driller 6968 ft.	Total Depth - Logger N/A ft.			
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No					
		Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A					
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
22"	20"	37	ST&C	33	269 sks Class A w/ 2% CaCl	cent as needed	10/28/08
17-1/2"	13-3/8"	37	ST&C	280	505 sks Class A w/ 2% CaCl	cent as needed	11/2/08
12-1/4"	9-5/8"	26	ST&C	892	300 sks Class A w/ 2% CaCl	cent as needed	11/10/08
8-3/4"	7"	23	ST&C	1673	700 sks Cls A w/ 4% Gel & 2% CaCl	cent as needed	11/13/08
					250 sks Class A 2% CaCl		
6-1/4"	4-1/2"	11.6	LT&C		180 sks Cls A w/ 2% Gel & 2% CaCl	cent as needed	12/16/08

COMPLETION REPORT

Perforation Record				Stimulation Record					
Date	Interval Perforated From To			Date	Interval Treated	Fluid Type Amount	Propping Agent Type Amount		Average Injection
N/A									
Natural Open Flow N/A				Natural Rock Pressure N/A					
After Treatment Open Flow N/A				After Treatment Rock Pressure N/A					
Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.									
Name GDS, Inc.			Name Schlumberger			Name			
Address 466 Airport Industrial Park Road			Address 95 Rutherford Run			Address			
City - State - Zip Parkersburg, WV			City - State - Zip Bradford, PA			City - State - Zip			
Phone 304-464-4666			Phone 814-362-7441			Phone			

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20050-00	Project Number	Acres
Address 900 Lee St, East - Suite 500			Well Farm Name HEITSMAN, A.	Well # 1H	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Springville			
Check all that apply: ☒ Original Well Record ☐ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report					

Well Type		☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal							
Drilling Method		☒ Rotary - Air ☒ Rotary - Mud ☐ Cable Tool							
Date Drilling Started		Date Drilling Completed		Surface Elevation		Total Depth - Driller		Total Depth - Logger	
10/16/08		01/03/09		1470 ft.		8523 ft.		ft.	
Casing and Tubing				Cement returned on surface casing? ☒ Yes ☐ No Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A					
Hole Size	Pipe Size	Wf.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth			Date Run
17.5"	13.375"	37	ST&C	52	25 sks Portland				10/16/08
12.375"	9.675"	26	ST&C	1033	400 sks Class A w/ 4% Gel & 2%	Cent	As	Needed	10/23/08
					100 sks Cls A w/ 2% CaCl				
8.875"	7"	23	ST&C	1558	240 sks Cls A w/ 4% Gel & 2% CaCl	Cent	As	Needed	10/30/08
					100 sks Cls A w/ 2% CaCl				
6-25"	4.5"	11.6	LT&C	8280	Packers Plus Frac Packers				01/02/09

Perforation Record						Simulation Record							
Date	Interval Perforated From To		Date	Interval Treated	Type	Fluid Amount	Type	Popping Agent Amount	Average Injection				
Natural Open Flow				None Gauged				Natural Rock Pressure					
After Treatment Open Flow								Hours	Days				
								Hours	Days				
Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.													
Name	GDS, Inc.	Name	Schlumberger	Name	SW Jack Drilling								
Address	466 Airport Industrial Park Road	Address	95 Rutherford Run	Address	57 South 9 th Street								
City - State - Zip	Parkersburg, WV	City - State - Zip	Bradford, PA	City - State - Zip	Indiana, PA								
Phone	304-464-4666	Phone	814-362-7441	Phone	724-463-5126								



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

WELL RECORD AND COMPLETION REPORT

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20039	Project Number	Acres
Address 900 Lee St, East - Suite 500			Well Farm Name HUBBARD	Well # 1	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Springville			

Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal						
Drilling Method	☒ Rotary - Air ☐ Rotary - Mud ☐ Cable Tool						
Date Drilling Started 10/11/08	Date Drilling Completed 10/29/08	Surface Elevation 1350 ft.	Total Depth - Driller 7012 ft.	Total Depth - Logger 7007 ft.			
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A					
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
17.5"	13.375"	37	ST&C	40	10 sks Portland		10/11/08
12.25"	9.675"	26	ST&C	936	300 sks Class A w/ 2% CaCl	Cent As Needed	10/14/08
8.75"	7"	23	ST&C	1643	125 sks Cls A w/4% Gel & 2% CaCl	Cent As Needed	10/16/08
					100 sks Cls A w/ 2% CaCl		
6.25"	4.5"	11.6	LT&C	6964	150 Class A w/2% Gel & 2% CaCl	Cent As Needed	10/29/08

COMPLETION REPORT

Perforation Record			Stimulation Record						
Date	Interval Perforated From To		Date	Interval Treated	Fluid Type Amount	Propping Agent Type Amount	Average Injection		
12/15/08	6780 6900		12/16/08	Lower Marcellus	Slick Water	Sand 213200	6313		
12/16/08	6580 6680		12/16/08	Upper Marcellus	Slick water	Sand 149029	5447		

Natural Open Flow	TSTM	Natural Rock Pressure	Not Gauged	Hours	Days
After Treatment Open Flow	To Wet To Gauge	After Treatment Rock Pressure	3100	166 Hours	6.92 Days


Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name Schlumberger	Name SW Jack Drilling
Address 660 Longview Road	Address 95 Rutherford Run	Address 57 South 9th Street
City - State - Zip Fairmont City, PA	City - State - Zip Bradford, PA	City - State - Zip Indiana, PA
Phone 814-365-2003	Phone 814-362-7441	Phone 724-463-5126

LOG OF FORMATIONSWell API#: **37-115-20039**

Formation Name or Type	Top (feet)	Bottom (feet)	Gas at (feet)	Oil at (feet)	Water at (fresh / brine: ft.)	Source of Data
Sandstone/Silt/Shale	0	1637			FW 105	E-Log/water from drill log
Catskill Sandstone	1637	1656			FW 174	E-Log
Shale	1656	2038				E-Log/water from drill log
Sandstone	2038	2044				E-Log
Silt/Shale	2044	2853				E-Log
Bradford Sandstone	2853	3432				E-Log
Silt/Shale	3432	3704				E-Log
Elk Siltstone	3704	4154				E-Log
Silt/Shale	4154	4525				E-Log
Genesee	4525	4558				E-Log
Tully Limestone	4558	4670				E-Log
Manhantango Shale	4670	4980				E-Log
Silt/Shale	4980	6564				E-Log
Upper Marcellus	6564	6640				E-Log
Cherry River	6640	6655				E-Log
Shale	6655	6702				E-Log
Purcell	6702	6757				E-Log
Lower Marcellus	6757	6905				E-Log
Onondaga	6905	7007				E-Log

Please delete empty rows if necessary to make all of page 2 fit on one page.

Well Operator's Signature:


 Title:
 Drilling Superintendent

 Date:
 01/12/09
DEP USE ONLY

Reviewed by:

Date:

Comments:



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20035-00	Project Number	Acres
Address 900 Lee St, East - Suite 500		Well Farm Name Lewis		Well # 1	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Springville			
Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report					

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal						
Drilling Method	☒ Rotary - Air ☒ Rotary - Mud ☐ Cable Tool						
Date Drilling Started 6/16/08	Date Drilling Completed 9/10/08	Surface Elevation 1395 ft.	Total Depth - Driller 7314 ft.	Total Depth - Logger 7307 ft.			
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A					
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount In Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
17.5"	13.375"	37	LT&C	40'	20 sks Ready Mix	Cent As Needed	6/16/08
12.25"	9.675"	26	LT&C	981'	400 sks Class A w/ 2% CaCl	Cent As Needed	6/19/08
8.75"	7"	19	LT&C	1794'	140 sks Cls A w/ 4% Gel & 2% CaCl	Cent As Needed	6/21/08
					140 sks Cls A w/ 2% CaCl		
6.25"	4.5"	11.6	ST&C	7280	170 Class A w/ 2% Gel & 2% CaCl	Cent As Needed	7/14/08
	2.375	4.7	J-55	7095			9/10/08

COMPLETION REPORT

Perforation Record			Stimulation Record				
Date	Interval Perforated From To		Date	Interval Treated	Fluid Type Amount	Propping Agent Type Amount	Average Injection
8/20/08	7060 7200		8/21/08	Lower Marcellus	Slick Water	Sand 211604	6400
8/21/08	6880 6940		8/22/08	Upper Marcellus	Slick Water	Sand 92500	5715
Natural Open Flow TSTM			Natural Rock Pressure		N/A		
After Treatment Open Flow Too wet to gauge			After Treatment Rock Pressure		Not gauged		
Hours			Days		Hours Days		
Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.							
Name BJ Services		Name Schlumberger		Name SW Jack			
Address 660 Longview Road		Address 95 Rutherford Run		Address 420 Little Sandy Road			
City - State - Zip Fairmont City, PA		City - State - Zip Bradford, PA		City - State - Zip Elkview, WV			
Phone 814-365-2003		Phone 814-362-7441		Phone 304-472-9403			



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20030-00	Project Number	Acres
Address 900 Lee St, East - Suite 500		Well Farm Name Lewis		Well # 2	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Springville			
Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report					

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal						
Drilling Method	☒ Rotary - Air ☐ Rotary - Mud ☐ Cable Tool						
Date Drilling Started 5/28/08	Date Drilling Completed 9/6/08	Surface Elevation 1215 ft.	Total Depth - Driller 7192 ft.	Total Depth - Logger 7189 ft.			
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No					
		Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A					
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
22"	20"	72	LSC	30'	Sanded In.		5/28/08
17-1/2"	13-3/8"	37	LSC	54'	40 sks of Ready Mix	Cent As Needed	5/28/08
12-1/4"	9-5/8"	26	LSC	850'	140 sks Class A w/ 2% CaCl	Cent As Needed	5/31/08
8-3/4"	7"	19	LSC	1521'	240 sks Cls A w/4% Gel & 2% CaCl	Cent As Needed	6/2/08
6-1/4"	4-1/2"	11.6	LT&C	7139	186 Class A w/4% Gel & 2% CaCl	Cent As Needed	6/14/08
	2-3/8"	4.7	J-55	6943'			

COMPLETION REPORT

Perforation Record			Stimulation Record						
Date	Interval Perforated From	To	Date	Interval Treated	Fluid Type	Amount	Propping Agent Type	Amount	Average Injection
6/13/08	6950	7075	8/18/08	Lower Marcellus	Slick	Water	Sand	210000	6690
8/18/08	6730	6770	8/19/08	Upper Marcellus	Slick	Water	Sand	97000	5805
Natural Open Flow TSTM			Natural Rock Pressure		N/A				
After Treatment Open Flow Too wet to gauge			After Treatment Rock Pressure		2000				
							Hours	Days	
							256	10.6	

Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name Schlumberger	Name SW Jack
Address 660 Longview Road	Address 95 Rutherford Run	Address 420 Little Sandy Road
City - State - Zip Fairmont City, PA	City - State - Zip Bradford, PA	City - State - Zip Elkview, WV
Phone 814-365-2003	Phone 814-362-7441	Phone 304-472-9403



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20010-00	Project Number	Acres
Address 900 Lee St, East - Suite 500		Well Form Name Teel		Well # 2	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Springville	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Hop Bottom			

Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas	☐ Oil	☐ Combination Oil & Gas	☐ Injection	☐ Storage	☐ Disposal
Drilling Method	☒ Rotary - Air	☒ Rotary - Mud	☐ Cable Tool			
Date Drilling Started 2/25/2008	Date Drilling Completed 5/22/2008	Surface Elevation 1315 ft.	Total Depth - Driller 7277 ft.	Total Depth - Logger 7284 ft.		

Casing and Tubing

Cement returned on surface casing? ☒ Yes ☐ No
Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A

Hole Size	Pipe Size	Wt.	Thread / Weld	Amount In Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type	Size	Depth	Date Run
22"	20"	37	ST&C	32'	Sanded In.	Cent	As	Needed	2/25/08
17-1/2"	13-3/8"	48	ST&C	485'	400 sks Class A w/ 2% CaCl	Cent	As	Needed	3/5/08
12-1/4"	9-5/8"	32	ST&C	1460'	325 sks Cls A w/ 4% Gel & 2% CaCl	Cent	As	Needed	3/8/08
					100 sks Cls A w/ 2% CaCl				
8-3/4"	4.5"	11.6	LT&C	7245'	350 Class A w/ 2% Gel & 2% CaCl	Cent	As	Needed	6/9/08
	2.375"	4.7	EUE	6943'					

COMPLETION REPORT

Perforation Record

Stimulation Record

Date	Interval Perforated From	To	Date	Interval Treated	Fluid Type	Amount	Propping Agent Type	Amount	Average Injection
4/28/08	7110	7027	4/30/08	Marcellus Shale	Slick	Water	Sand	176400	6405
4/30/08	6812	6852	4/30/08	Upper Marcellus	Slick	Water	Sand	107700	5799

Natural Open Flow	TSTM	Natural Rock Pressure	N/A	Hours	Days
After Treatment Open Flow	To Wet To Gage	After Treatment Rock Pressure	2000	592 Hours	26.67 Days


Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name Schlumberger	Name GDS, Inc.
Address 660 Longview Road	Address 95 Rutherford Run	Address 466 Airport Industrial Park Road
City - State - Zip Fairmont City, PA	City - State - Zip Bradford, PA	City - State - Zip Parkersburg, WV
Phone 814-365-2003	Phone 814-362-7441	Phone 304-464-4666

LOG OF FORMATIONSWell API#: **37-115-20010**

Formation Name or Type	Top (feet)	Bottom (feet)	Gas at (feet)	Oil at (feet)	Water at (fresh / brine; ft.)	Source of Data
Sand/Silt/Shale	0	2081			FW @ 370	E-Log
Catskill Sandstone	2081	2117			SW @ 630	E-Log
Shale	2117	3184				E-Log
Bradford Silt/Shale	3184	3742				E-Log
Shale	3742	4008				E-Log
Elk Silt/Shale	4008	4465				E-Log
Shale	4465	4804				E-Log
Genesee	4804	4847				E-Log
Tully Limestone	4847	4961				E-Log
Mahantango Shale	4961	6800				E-Log
Upper Marcellus	6800	6842				E-Log
Cherry River	6842	6857				E-Log
Shale	6857	6903				E-Log
Purcell	6903	6954				E-Log
Lower Marcellus	6954	7092				E-Log
Onondaga	7092	7284				E-Log

Please delete empty rows if necessary to make all of page 2 fit on one page.

Well Operator's Signature:


 Title:
 Drilling Superintendent

 Date:
 1/20/2009
DEP USE ONLY

Reviewed by:

Date:

Comments:



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20024-00	Project Number	Acres
Address 900 Lee St, East - Suite 500			Well Farm Name Teel	Well # 5	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Springville	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Hop Bottom			
Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report					

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas	☐ Oil	☐ Combination Oil & Gas	☐ Injection	☐ Storage	☐ Disposal	
Drilling Method	☒ Rotary - Air	☐ Rotary - Mud	☐ Cable Tool				
Date Drilling Started 5/19/2008	Date Drilling Completed 7/21/2008	Surface Elevation 1070 ft.	Total Depth - Driller 7200 ft.	Total Depth - Logger 7164 ft.			
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A					
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount In Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
17.5"	13.375"	37	LT&C	38	40 sks Ready Mix	Cent As Needed	5/22/08
12.25"	9.675"	26	LT&C	807	300 sks Class A w/ 2% CaCl	Cent As Needed	5/28/08
8.75"	7"	23	LT&C	1518	135 sks Cls A w/4% Gel & 2% CaCl	Cent As Needed	5/30/08
					115 sks Cls A w/ 2% CaCl		
6.25"	4.5"	11.6	ST&C	7115	200 Class A w/2% Gel & 2% CaCl	Cent As Needed	6/9/08
	2.375"	4.7	8rd	6986			

COMPLETION REPORT

Perforation Record			Stimulation Record					
Date	Interval Perforated From To		Date	Interval Treated	Fluid Type Amount	Propping Agent Type Amount	Average Injection	
7/2/08	6950 7015		7/15/08	Lower Marcellus	Slick Water	Sand 125000	6070	
8/8/08	6845 6865		8/9/08	Middle Marcellus	Slick Water	Sand 6630	5920	
Natural Open Flow TSTM			Natural Rock Pressure N/A Hours Days					
After Treatment Open Flow To Wet To Gage			After Treatment Rock Pressure Not Gauged Hours Days					

Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name Schlumberger	Name GDS, Inc.
Address 660 Longview Road	Address 95 Rutherford Run	Address 466 Airport Industrial Park Road
City - State - Zip Fairmont City, PA	City - State - Zip Bradford, PA	City - State - Zip Parkersburg, WV
Phone 814-365-2003	Phone 814-362-7441	Phone 304-464-4666

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20011-00	Project Number	Acres
Address 900 Lee St, East - Suite 500		Well Form Name Teel		Well # 6	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Springville	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Springville			

Check all that apply: ☒ Original Well Record ☐ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas	☐ Oil	☐ Combination Oil & Gas	☐ Injection	☐ Storage	☐ Disposal
Drilling Method	☒ Rotary – Air	☐ Rotary – Mud	☐ Cable Tool			

Date Drilling Started 12/2/08	Date Drilling Completed 12/21/08	Surface Elevation 1250 ft.	Total Depth - Driller 7484 ft.	Total Depth - Logger N/A ft.
----------------------------------	-------------------------------------	-------------------------------	-----------------------------------	---------------------------------

Casing and Tubing	Cement returned on surface casing?	☒ Yes	☐ No
	Cement returned on coal protective casing?	☒ Yes	☐ No ☐ N/A

[illegible]

COMPLETION REPORT

[illegible]

Natural Open Flow	84	Natural Rock Pressure	N/A	Hours	Days
After Treatment Open Flow	N/A	After Treatment Rock Pressure	N/A	Hours	Days

Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name Schlumberger	Name GDS, Inc.
Address 660 Longview Road	Address 95 Rutherford Run	Address 466 Airport Industrial Park Road
City - State - Zip Fairmont City, PA	City - State - Zip Bradford, PA	City - State - Zip Parkersburg, WV
Phone 814-365-2003	Phone 814-362-7441	Phone 304-464-4666



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20023-00	Project Number	Acres
Address 900 Lee St, East - Suite 500		Well Farm Name Teel		Well # 7	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Springville	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Hop Bottom			
Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report					

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal						
Drilling Method	☒ Rotary - Air ☐ Rotary - Mud ☐ Cable Tool						
Date Drilling Started 5/8/2008	Date Drilling Completed 10/24/2008	Surface Elevation 1050 ft.	Total Depth - Driller 7148 ft.	Total Depth - Logger 7156 ft.			
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No					
		Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A					
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
17.5"	13.375"	37	LT&C	54	Sanded In		
12.25"	9.675"	26	LT&C	358	140 sks Class A w/ 2% CaCl	Cent As Needed	5/10/08
8.75"	7"	23	LT&C	1496	140 sks Cls A w/4% Gel & 2% CaCl	Cent As Needed	5/14/08
					100 sks Cls A w/ 2% CaCl		
6.25"	4.5"	11.6	ST&C	7118	175 Class A w/2% Gel & 2% CaCl	Cent As Needed	6/1/08
	2.375"	4.7	8rd	6986			


COMPLETION REPORT

Perforation Record			Stimulation Record						
Date	Interval Perforated From To		Date	Interval Treated	Type	Fluid Amount	Propping Agent Type Amount	Average Injection	
8/7/08	6980 7050		8/8/08	Marcellus Shale	Slick	Water	Sand 15900	5920	
8/8/08	6845 6865		8/9/08	Middle Marcellus	Slick	Water	Sand 6630	5920	
10/3/08	6735 6780		10/5/08	Upper Marcellus	Slick	Water	Sand 100098	5488	
Natural Open Flow 53			Natural Rock Pressure N/A						
After Treatment Open Flow To Wet To Gage			After Treatment Rock Pressure 900						
			Hours 16 Days .67						

Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name Schlumberger	Name GDS, Inc.
Address 660 Longview Road	Address 95 Rutherford Run	Address 466 Airport Industrial Park Road
City - State - Zip Fairmont City, PA	City - State - Zip Bradford, PA	City - State - Zip Parkersburg, WV
Phone 814-365-2003	Phone 814-362-7441	Phone 304-464-4666

LOG OF FORMATIONSWell API#: **37-115-20023**

Formation Name or Type	Top (feet)	Bottom (feet)	Gas at (feet)	Oil at (feet)	Water at (fresh / brine: ft.)	Source of Data
Sand/Silt/Shale	0	1914			400, 710	E-Log
Catskill Sandstone	1914	1925				E-Log
Shale	1925	2306				E-Log
Sand	2306	2310				E-Log
Silt/Shale	2310	2994	2575			E-Log
Bradford Sandstone	2994	3533	3008			E-Log
Silt/Shale	3533	3814				E-Log
Elk Siltstone	3814	4273				E-Log
Silt/Shale	4273	4608				E-Log
Genesee	4608	4653				E-Log
Tully Limestone	4653	4768				E-Log
Mahantango Shale	4768	5067				E-Log
Silt/Shale	5067	6611	5500			E-Log
Upper Marcellus	6611	6722				E-Log
Cherry River	6722	6734				E-Log
Shale	6734	6784				E-Log
Purcell	6784	6892				E-Log
Lower Marcellus	6892	7049				E-Log
Onondaga	7049	7156				E-Log
Please delete empty rows if necessary to make all of page 2 fit on one page.						
Well Operator's Signature:			DEP USE ONLY			
 Title: Drilling Superintendent Date: 1/20/2009			Reviewed by: _____ Date: _____ Comments: _____			



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20026	Project Number	Acres
Address 900 Lee St, East - Suite 500		Well Form Name BAKER		Well # 1	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock Township	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Springville			

Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal						
Drilling Method	☒ Rotary - Air ☐ Rotary - Mud ☐ Cable Tool						
Date Drilling Started 8/13/08	Date Drilling Completed 8/31/08	Surface Elevation 1545 ft.	Total Depth - Driller 7450 ft.	Total Depth - Logger N/A ft.			
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No Cement returned on coal protective casing? ☒ Yes ☐ No ☐ N/A					
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
17.5"	13.375"	37	LT&C	44	25 sks Portland	Cent As Needed	8/14/08
12.25"	9.675"	26	LT&C	1094	380 sks Class A w/ 2% CaCl	Cent As Needed	8/15/08
8.75"	7"	23	LT&C	1534	140 sks Cls A w/4% Gel & 2% CaCl		8/16/08
					100 sks Cls A w/ 2% CaCl		
6.25"	4.5"	11.6	ST&C	7306	365 Class A w/2% Gel & 2% CaCl	Cent As Needed	8/31/08

COMPLETION REPORT


Perforation Record			Stimulation Record					
Date	Interval Perforated From To		Date	Interval Treated	Fluid Type Amount	Propping Agent Type Amount	Average Injection	
11/09/08	7100 7240		11/10/08	Lower Marcellus	Sik Water 8923 bbls	Sand 210000	6287	
11/10/08	6890 6945		11/11/08	Upper Marcellus	Sik Water 4283 bbls	Sand 125861	6298	

Natural Open Flow 363	Natural Rock Pressure Did Not Gauge	Hours	Days
After Treatment Open Flow To Wet To gauge	After Treatment Rock Pressure 3250	255 Hours	10.625 Days

Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name Schlumberger	Name GDS, Inc.
Address 660 Longview Road	Address 95 Rutherford Run	Address 466 Airport Industrial Park Road
City - State - Zip Fairmont City, PA	City - State - Zip Bradford, PA	City - State - Zip Parkersburg, WV
Phone 814-365-2003	Phone 814-362-7441	Phone 304-464-4666

LOG OF FORMATIONSWell API#: **37-115-20026**

Formation Name or Type	Top (feet)	Bottom (feet)	Gas at (feet)	Oil at (feet)	Water at (fresh / brine; ft.)	Source of Data
Shale	0	2053			Fresh @ 990	E-Log/water from drill log
Catskill Sandstone	2053	2094				E-Log
Shale	2094	3159			SW @ 2300	E-Log/water from drill log
Bradford Siltstone	3159	3710				E-Log
Shale	3710	3986				E-Log
Elk Siltstones	3986	4455				E-Log
Middlesex Shale	4455	4784				E-Log
Gennessee Shale	4784	4819				E-Log
Tully	4819	4937				E-Log
Manantango	4937	6856	5908			E-Log
Upper Marcellus	6856	7040	6886			Driller's Log
Purcell Limestone	7040	7130				Driller's Log
Lower Marcellus	7130	7350				Driller's Log
Onondaga	7350	7450				Driller's Log
Please delete empty rows if necessary to make all of page 2 fit on one page.						
Well Operator's Signature:			DEP USE ONLY			
 Title: Drilling Superintendent			Reviewed by:		Date:	
Date: 01/05/09			Comments:			



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20008-00	Project Number	Acres
Address 900 Lee St Ste 500 Huntington Square			Well Farm Name Greenwood 1	Well # 1	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Montrose East			
Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report					

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal						
Drilling Method	☒ Rotary - Air ☐ Rotary - Mud ☐ Cable Tool						
Date Drilling Started 9/28/07	Date Drilling Completed 10/12/07	Surface Elevation 1355 ft.	Total Depth - Driller 6968 ft.	Total Depth - Logger 6975 ft.			
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No Cement returned on coal protective casing? ☐ Yes ☐ No ☒ N/A					
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
17-1/2"	13-3/8"	37	H-40	49 KB	Sanded in		9/27/07
12-3/8"	9-5/8"	26	H-40	275 KB	125sks of Clas "A" w/2% Gel		9/29/07
8-3/4"	7"	19	J-55	1489 KB	125sks of Class "A" w/4% Gel		10/3/07
					100sks of Class "A" w/2% CaCl		
6-1/4"	4-1/2"	11.6	M-80	6975' KB	175sks of Clas "A" w/2% Gel		10/12/07
6-1/4"	2-3/8"	N-80	6837	6837'KB			11/24/07

COMPLETION REPORT

Perforation Record			Stimulation Record						
Date	Interval Perforated From	To	Date	Interval Treated	Fluid Type	Amount	Propping Agent Type	Amount	Average Injection
11/9/07	6750	6900	11/9/07	6750-6900	slickwater	96,280	30/50	16550	63.3 BPM
					15%hcl	756			
11/9/07	6688	6698	11/9/07	6688-6698	slickwater	54,500	30/50	8,460	62.2 BPM
	6610	6630		6610-6630					

Natural Open Flow	622	Natural Rock Pressure	2880 SICP	Hours	14 Days
After Treatment Open Flow	622	After Treatment Rock Pressure	520 SITP	56 Hours	Days

Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name Schlumberger	Name SW Jack
Address 660 Longview Road	Address 600 Industrial Drive	Address 420 Little Sandy Road
City - State - Zip Fairmount City, Pa.	City - State - Zip Beckley, WV	City - State - Zip Elkview, WV
Phone 814-365-2003	Phone 304-353-9303	Phone 304-472-9403

RECEIVED

JAN 14 2008

LOG OF FORMATIONS

Well API#:

Formation Name or Type	Top (feet)	Bottom (feet)	Gas at (feet)	Oil at (feet)	Water at (fresh / brine; ft.)	Source of Data
TILL	0	25				
CATSKILL	25	3436				
TRIMMERS ROCK	3436	4568			FW 354	
TULLY	4568	4687				
HAMILTON	4687	6635				
PURCELL	6635	6750				
MARCELLUS	6750	6900				
ONONDAGA	6900	6968				
125 SL X 1.36 X 3.1429 542' 197%	9578				275	
(125 SL X 1.55) + (100 SL X 1.2) X 6.652 2087 140%		7		1489		
		4655				
175 SL X 1.36 X 9.7459	2319		41/2 16975			

Please delete empty rows if necessary to make all of page 2 fit on one page.

Well Operator's Signature:		DEP USE ONLY	
		Reviewed by:	Date:
Title: Vice President	Date: 1/10/2008	Comments:	



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20008-00	Project Number	Acres
Address 900 Lee St Ste 500 Huntington Square			Well Farm Name Greenwood 1	Well # 1	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Dimock	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Montrose East			

Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal						
Drilling Method	☒ Rotary - Air ☐ Rotary - Mud ☐ Cable Tool						
Date Drilling Started 9/28/07	Date Drilling Completed 10/12/07	Surface Elevation 1355 ft.	Total Depth - Driller 6968 ft.	Total Depth - Logger 6975 ft.			
Casing and Tubing		Cement returned on surface casing? ☒ Yes ☐ No Cement returned on coal protective casing? ☐ Yes ☐ No ☒ N/A					
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type Size Depth	Date Run
17-1/2"	13-3/8"	37	H-40	49 KB	Sanded in		9/27/07
12-3/8"	9-5/8"	26	H-40	275 KB	125sks of Clas "A" w/2% Gel		9/29/07
8-3/4"	7"	19	J-55	1489 KB	125sks of Class "A" w/4% Gel		10/3/07
					100sks of Class "A" w/2% CaCl		
6-1/4"	4-1/2"	11.6	M-80	6975' KB	175sks of Clas "A" w/2% Gel		10/12/07
6-1/4"	2-3/8"	N-80	6837	6837'KB			11/24/07

COMPLETION REPORT

Perforation Record			Stimulation Record						
Date	Interval Perforated From	To	Date	Interval Treated	Fluid Type	Amount	Propping Agent Type	Amount	Average Injection
11/9/07	6750	6900	11/9/07	6750-6900	slickwater	96,280	30/50	16550	63.3 BPM
					15%hcl	756			
11/9/07	6688	6698	11/9/07	6688-6698	slickwater	54,500	30/50	8,460	62.2 BPM
	6610	6630		6610-6630					

Natural Open Flow	622	Natural Rock Pressure	2880 SICP	Hours	14 Days
After Treatment Open Flow	622	After Treatment Rock Pressure	520 SITP	56 Hours	Days

Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name Schlumberger	Name SW Jack
Address 660 Longview Road	Address 600 Industrial Drive	Address 420 Little Sandy Road
City - State - Zip Fairmount City, Pa.	City - State - Zip Beckley, WV	City - State - Zip Elkview, WV
Phone 814-365-2003	Phone 304-353-9303	Phone 304-472-9403

RECEIVED

JAN 14 2008

LOG OF FORMATIONS

Well API#:

Formation Name or Type	Top (feet)	Bottom (feet)	Gas at (feet)	Oil at (feet)	Water at (fresh / brine; ft.)	Source of Data
TILL	0	25				
CATSKILL	25	3436			FW 354	
TRIMMERS ROCK	3436	4568				
TULLY	4568	4687				
HAMILTON	4687	6635				
PURCELL	6635	6750				
MARCELLUS	6750	6900				
ONONDAGA	6900	6968				
125 SK X 1.36 X 3.1429 542' 197%	9578				275	
(125 SK X 1.55) + (100 SK X 1.12) X 6.652 2087 140%		7		1489		
		4655				
175 SK X 1.36 X 9.7459	2319		41/2 16975			

Please delete empty rows if necessary to make all of page 2 fit on one page.

Well Operator's Signature:

DEP USE ONLY

Reviewed by:

Date:

Title:

Vice President

Date:

1/10/2008

Comments:



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
Oil and Gas Management Program
WELL LOCATION PLAT

DEP USE ONLY	DEP Application Tracking #	G: 278107
	Permit # 115-2000.8	C:
	Project #:	

Top Hole Location
 NAD 27 ($\pm 0.02''$)

☐ Denotes location of well on topo map.

True Latitude: NORTH

41° 45' 04.00"

True Longitude: WEST

75° 52' 06.63"

Location Ties

A - S 44°25' W - 943'
 B - N 28°16' W - 478'
 C - N 48°30' E - 1278'

Robert & Ada Hess
 181-1-12

SP Grid

Well is located on topo map **9600** feet west of Longitude **75° 50' 00"**

Rosemarie Greenwood et.al.

181-1-29

Gene & Denise Hubbard
 181-1-34

SR 2024


Dennis & Karen Visavati
 181-1-28

SR 3023

Gilbert A. & Ruth Gehin-Scott
 181-1-32

James & Marcia Borosh
 181-1-31

Thomas B. & Elaine Zuzik
 181-1-30



Surveyor or Engineer: **Gregory C. Bell, PLS**
 Heritage Surveys (814) 225-3484

Date: **May 17, 2007**

Scale: **1" = 500'**

Tract Acreage: **153 ±**

Lat & Long Metadata Method: TOPCON (L2) GPS Accuracy: 2 ± ft. Datum: NAD 27		Elevation Metadata Method: Topo Interpolation Accuracy: 10 ± ft. Datum: NAD 27		Survey Date: 5/24/06
Applicant / Well Operator Name Cabot Oil & Gas Corp.		DEP ID # 43513	Well (Farm) Name GREENWOOD	Well # 1
Address 900 Lee Street East, Suite 1500, Charleston, WV 25301		County - Code Susquehanna - 58	Municipality Dimock Twp.	Well Type Gas
Surface Landowner Rosemarie Greenwood et.al.		USGS 7.5' Quadrangle Map Name Montrose East	DEP Map # 439	Map Section 7
Surface Lessee (if any)		Angle & Course of Deviation (Drilling) none	Surface Elevation 1355 topo	Anticipated Total Depth 7500 ft.
Surface Owner or Water Purveyor with a Water Supply within 1000 ft.	Approximate Course and Distance to Water Supply	Owner, Lessee, or Operator of Workable Coal Seam		
Rosemarie Greenwood et.al.	S 65° E - 1000'±	Not Owned, Leased, or Operated		
Thomas B. & Elaine Zuzik	S 40° E - 1000'±			
James & Marcia Borosh	S 5° E - 850'±			
Dennis & Karen Visavati	S 40° E - 850'±			

JUL 05 2007
 ENVIRONMENTAL PROTECTION
 NORTHWEST REGIONAL OFFICE

PROGRAM 0/G
FILE NAME Susquehanna Cnty GIS Migration
BREAKDOWN Investigation
TYPE Conf
COUNTY Susquehanna MUNICIPALITY Dimock
COMMENTS Carter Rd, C10-260456



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM**

WELL RECORD AND COMPLETION REPORT

DEP USE ONLY	
Site Id	Primary Facility Id
Client Id	Sub-facility Id

Well Operator Cabot Oil & Gas Corporation		DEP ID# 43513	Well API # (Permit / Reg) 37-115-20007-00	Project Number	Acres
Address 900 Lee Street East STE 500			Well Farm Name Teel	Well # 1	Serial #
City Charleston	State WV	Zip Code 25301	County Susquehanna	Municipality Springville	
Phone 304-347-1600	Fax 304-347-1635	USGS 7.5 min. quadrangle map Springville			
Check all that apply: ☒ Original Well Record ☒ Original Completion Report ☐ Amended Well Record ☐ Amended Completion Report					

WELL RECORD Also complete Log of Formations on back (page 2)

Well Type	☒ Gas ☐ Oil ☐ Combination Oil & Gas ☐ Injection ☐ Storage ☐ Disposal								
Drilling Method	☒ Rotary - Air ☐ Rotary - Mud ☐ Cable Tool								
Date Drilling Started 9/27/06	Date Drilling Completed 10/28/06								
Surface Elevation 1070 ft.	Total Depth - Driller 7017 ft.								
	Total Depth - Logger 7024 ft.								
Casing and Tubing									
Cement returned on surface casing? ☒ Yes ☐ No									
Cement returned on coal protective casing? ☐ Yes ☐ No ☒ N/A									
Hole Size	Pipe Size	Wt.	Thread / Weld	Amount in Well (ft)	Material Behind Pipe Type and Amount	Packer / Hardware / Centralizers Type	Size	Depth	Date Run
24	20	94	H-40	117'CL	190 cuft. ready mix				10/2/06
17-1/2	13-3/8	48	H-40	378'KB	350sxs Class "A"				10/11/06
8-7/8	7	36	J-55	2726'KB	400sxs w/4% Gel				10/20/06
					125sxs Class "A"				
6-1/4	4-1/2	11.6	N-80	7002'KB	90sxs Class "A" w/2% Gel	Insert	4-1/2	6990'	10/28/06

COMPLETION REPORT

Perforation Record			Stimulation Record						
Date	Interval Perforated From	To	Date	Interval Treated	Fluid Type	Amount	Propping Agent Type	Amount	Average Injection
11/10/06	6787	6929	12/20/06	6787-6929	X-Link	2345bbbls	100	10,100	24BPM
							20/40	106,000	

Natural Open Flow	103	Natural Rock Pressure	3440psi SICP	Hours	14 Days
After Treatment Open Flow	230	After Treatment Rock Pressure	2800 psi SICP	92 Hours	Days

Well Service Companies -- Provide the name, address, and phone number of all well service companies involved.

Name BJ Services	Name Schlumberger	Name SW Jack
Address 660 Longview Road	Address 600 Industrial Drive	Address 420 Little Sandy Road
City - State - Zip Fairmount City, Pa.	City - State - Zip Beckley, WV	City - State - Zip Elkview, WV
Phone 814-365-2003	Phone 304-353-9303	Phone 304-472-9403

-1 JAN 14 2008

LOG OF FORMATIONS

Well API#:

Formation Name or Type	Top (feet)	Bottom (feet)	Gas at (feet)	Oil at (feet)	Water at (fresh / brine; ft.)	Source of Data
TILL	0	25				
CATSKILL	25	3525	3020		125,514	
TRIMMERS ROCK	3525	4623				
TULLY	4623	4733				
HAMILTON	4733	6660				
PURCELL	6660	6786				
MARCELLUS	6786	6930				
ONONDAGA	6930	7024				
350 SKS X 1.2 X 1.4396 604 160%	378				13 13 3/8	
(400 SKS X 1.55) (125 SKS X 1.2) X 6.652 = 5122'?		7		2726		
		5809				
90 SKS X 1.36 X 9.7459 1193			4 1/2 7002			

Please delete empty rows if necessary to make all of page 2 fit on one page.

Well Operator's Signature:		DEP USE ONLY	
T.S. <i>[Signature]</i>		Reviewed by:	Date:
Title: Vice President	Date: 1/10/2008	Comments:	



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
Oil and Gas Management Program
WELL LOCATION PLAT

DEP USE ONLY	DEP Application Tracking #	G 6/1/06 13 17 C:
	Permit #	
	Project #	

Top Hole Location
NAD 27 ($\pm 0.02'$)

Denotes location of well on topo map.

True Latitude: NORTH

41° 42' 47.36"

True Longitude: WEST

75° 52' 41.89"


Location Ties

- A - S 20°42' E - 820'
- B - S 17°37' W - 1831'
- C - S 41°51' W - 2168'
- D - offset bdy - 525'
- E - S 52°15' W - 1721'

Well is located on topo map 13.425 feet south of Latitude 41° 45' 00"

SP Grid

Well is located on topo map 900 feet west of Longitude 75° 52' 30"



Surveyor or Engineer: Gregory C. Bell, PLS
Heritage Surveys (814) 225-3484

Date: June 22, 2006

Scale: 1" = 1000'

Tract Acreage: 586 ±

Lat & Long Metadata Method: TOPCON (L2) GPS Accuracy: 2 ± ft. Datum: NAD 27		Elevation Metadata Method: Topo Interpolation Accuracy: 10 ± ft. Datum: NAD 27		Survey Date: 5/24/06
Applicant / Well Operator Name Cabot Oil & Gas Corp.		DEP ID # 43513	Well (Farm) Name TEEL	Well # 1
Address 900 Lee Street East, Suite 1500, Charleston, WV 25301		County - Code Susquehanna - 58	Municipality Springville	Well Type Gas
Surface Landowner Cleo R. & Gloria D. Teel		USGS 7.5 Quadrangle Map Name Springville	DEP Map # 538	Map Section 3
Surface Lessee (if any)		Angle & Course of Deviation (Drilling) none	Surface Elevation 1070 topo	Anticipated Total Depth 7500 ft.
Surface Owner or Water Purveyor with a Water Supply within 1000 ft. none	Approximate Course and Distance to Water Supply	Owner, Lessee, or Operator of Workable Coal Seam	Name of Coal Seam Owned, Leased, or Operated	
		JUL 13 2006		JUN 26 2006

ENVIRONMENTAL PROTECTION
NORTHWEST REGIONAL OFFICE

PROGRAM O/G

FILE NAME Susquehanna City Gas Migration

BREAKDOWN Investigation

TYPE Conf

COUNTY Susquehanna MUNICIPALITY Dinwiddie

COMMENTS Carter Rd, CIO-260456